| 汎用品

名	称	グロー	-ブ	グロ-	ーブ	グロ	ーブ	グロ	ーブ	グロ	ーブ
		100型		,_	T	,	Ŧ	150型	Ŧ	150型	Ŧ
		1002	- I-L-I				A He	1302	and in	1302	
		A SECTION		G THE		600		C In S		ALC: Y	
ы	68			62	3	ū	dia .	-0	3		to
外	餓	-	_	-		a fi				4	
		2 20114	To a second		Name of Street, or other party of the last	100		1	1	- 6	0
	No. of Concession, Name of Street, or other Persons, Name of Street, or ot			A STATE OF	10-3	-	MAN TO SERVICE STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO SERVICE STATE OF THE PERSON NAMED SERVICE STATE OF THE PERSON NAMED SERVIC	-	100		
製品		A		G		Q				С	
呼び		面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
8	1/4	40.0	3,850					44.0	4,800	21.0	5,330
10	3/8	42.0	4,030					44.0	4,920	24.0	5,630
15	1/2	48.0	4,180	44.0	4,140	44.0	5,320	53.0	6,290	28.0	6,960
20	3/4	53.0	4,800	50.0	4,640	50.0	6,290	65.0	9,320	34.0	10,200
25	1	63.0	6,960	63.0	6,730	63.0	8,900	77.0	14,000	40.0	16,100
32		73.0	10,800			73.0	13,400	85.0	22,400	47.0	24,900
40	11/2	81.0	15,700			81.0	18,600	100.0	29,000	52.0	32,900
50	2	94.0	22,500			94.0	29,000	119.0	49,100	61.0	53,900
65	21/2	115.0	54,700					139.0	76,300	74.0	99,300
80	3	131.0	72,400					158.0	106,000	85.0	152,000
100	4	171.0	161,000								
備	考										

汎用品



汎用品										
名 称		ゲート	5	デート	ب	ゲート	5	デ ート	ゲ-	-1-
外観	125型 NRS		水 NRS		125型 NRS		NRS		150型 NRS	
製品記号		FR		FH		Н		Е	El	ВН
呼び径	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格
8 1/4			35.0	4,640						
10 ³ / ₈	38.0	3,700		4,720	38.0	5,120	43.0	10,700		
15 ¹ / ₂	42.0	3,930	42.0	4,820	42.0	5,240	48.0	10,700	75.0	38,500
20 3/4	47.0	4,600	47.0	5,800	47.0	6,350	53.0	14,200	80.0	42,900
25 1	50.0	6,050	50.0	8,190	50.0	9,040	62.0	21,100	95.0	63,500
32 11/4	60.0	9,040	60.0	11,300	60.0	12,400	69.0	32,100	110.0	83,000
40 11/2	63.0	11,000	63.0	14,100	63.0	15,400	75.0	42,100	120.0	96,700
50 2	72.0	17,800	72.0	21,400	72.0	23,500	86.0	65,100	140.0	139,000
65 21/2			82.0	44,400	90.0	47,900	105.0	108,000	165.0	238,000
80 3			92.0	60,500	100.0	65,300	116.0	167,000	190.0	313,000
100 4					121.0	145,000			230.0	©
125 5									190.0	©
150 6									210.0	0
備考										

1 汎用	品										
名 称		リフトチ	ヤッキ	竪形リフ	トチャッキ	竪形リフ	トチャッキ	スイング	チャッキ	Y形スイン	ノグチャッキ
		150型)		10K	1	10K		125型		125型	
外観									h		
製品記号		F	:	F	RF	R	FD		R	١	YR
呼び径		面間 (mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
10 ³,	/8	44.0	5,470					53.0	5,240	54.0	6,880
15 ¹,	/2	53.0	6,530	53.0	6,400	53.0	7,540	60.0	6,400	56.0	7,420
20 ³,	/4	65.0	9,060	59.0	8,630	59.0	9,930	70.0	8,180	70.0	9,930
25	1	77.0	13,800	67.0	12,500			80.0	12,600	80.0	14,100
32 11	/4	85.0	18,700	78.0	16,900			92.0	18,000	95.0	20,400
40 1 ¹ /	/2	100.0	25,900	84.0	23,400			102.0	23,400	110.0	27,100
50	2	119.0	39,900	98.0	36,800			122.0	37,600	128.0	41,400
65 2 ¹ /	/2	139.0	68,700					150.0	65,100		
80	3	158.0	89,100					165.0	87,600		
100	4							195.0	176,000		
備考											

| 汎用品

	H) 00							V#4 - 1		V#4- 1	
名	孙	フー	r	フート用ス	くグリーン		\ チャッキ		トレーナ	Y形スト	・レーテ
外	観					10K ±)—I	(ISOM(10A)	3	(50M(10K)	3
製品	記号	FT	Г	F1	ΓS	10	BWZ	,	Y	Υ	K
呼び	径	高さ(mm)	価格	高さ(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
10	3/8							70.0	6,020	70.0	8,720
15	1/2							80.0	6,700	80.0	9,410
20	3/4	48.0	4,180	25.0	1,430			100.0	8,550	100.0	11,500
25	1	58.0	5,920	29.0	2,040			115.0	13,700	115.0	16,300
32	11/4	62.0	7,840	32.0	2,380			135.0	19,600	135.0	23,400
40	11/2	70.0	10,200	35.0	2,720	54.0	102,000	160.0	24,200	160.0	27,900
50	2	80.0	14,100	43.0	4,140	56.0	105,000	195.0	40,400	195.0	44,000
65	21/2	90.0	26,200	50.0	10,900	56.0	138,000	230.0	99,700		
80	3	100.0	33,800	51.0	13,000	59.0	158,000	240.0	132,000		
100	4					66.0	211,000				
125	5					72.0	272,000				
150	6					78.0	370,000				
200	8					96.0	550,000				
250	10					109.0	803,000				
300	12					145.0	1,182,000				
備者	考					配管用ボルト 公共建築工事	ナット付 標準仕様書相当品	スクリーン: 60° 千鳥抜きス	ステンレス打抜板	スクリーン: 内網40メッシュス 公共建築工事標	

■汎用ボールバルブ エコボールシリーズ

<i>"</i> "	יוינדו	1011102	エコハ	ールンリース							
名	称	エコボ-	ール	エコボー			ボール	エコボ	ール	エコ7	ボール
外	観	水 ***		(600型) 水		600型		*		400型	
製品	記号	Z		ZT		7	ZH	ZC)	Z	.S
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
8	1/4	50.0	4,820	50.0	4,820	42.0	4,160	59.0	6,920	42.0	4,820
10	3/8	50.0	5,280	50.0	5,280	43.0	4,720	60.0	7,580	43.0	5,280
15	1/2	65.0	5,690	65.0	5,690	51.0	5,040	74.0	8,160	51.0	5,690
20	3/4	68.0	6,580	68.0	6,580	59.0	5,870	80.0	9,560	59.0	6,580
25	1	79.0	8,880	79.0	8,880	71.0	7,420	94.0	12,900	71.0	8,880
32	11/4	86.0	13,900	86.0	13,900	78.0	10,500			78.0	13,900
40	11/2	96.0	17,600	96.0	17,600	88.0	14,500			88.0	17,600
50	2	109.0	24,800	109.0	24,800	100.0	18,500			99.0	24,800
65	21/2	138.0	86,300			118.0	59,600				
80	3	167.0	145,000			155.0	110,000				
100	4					175.0	156,000				
備著	考	ボア径:フルボア		ボア径:フルボア		ボア径:スタン	ンダードボア	ボア径:フルボフ	7	ボア径:スタン	ダードボア

■汎用ボールバルブ エコボールシリーズ

名	称	ZEシリ	ーズ	ZEシリ	ーズ	ZEシリ・	ーズ
		600型		600型		600型	
外	観	0				57	
製品	記号	ZE		MZ	E	ZET	Г
呼び	が径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
8	1/4	42.0	2,890	42.0	0	42.0	2,890
10	3/8	42.0	3,150	42.0	0	42.0	3,150
15	1/2	53.0	3,430	53.0	0	53.0	3,430
20	3/4	60.0	4,000	60.0	0	60.0	4,000
25	1	72.0	5,380	72.0	0	72.0	5,380
32	11/4	84.0	8,640	84.0	0	84.0	8,640
40	11/2	92.0	11,000	92.0	0	92.0	11,000
50	2	110.0	15,400	110.0	0	110.0	15,400
備:	考 	ボア径:フルボア		めっき付 ボア径:フルボフ	7	ボア径:フルボア	

■汎用ボールバルブ Tボールシリーズ

<u></u> かし	州小	ールバルフ									
名	称	Tボー	ール	Tボー	ル	Tボー	-ル	Tボー	·JV	ロングネッ	クTボール
外	観	400型 水 T		**************************************		*		10K		(400 ±) (5) ±)	
製品	記号	Т		TT		TC		TE	}	T	
呼び	が径	面間 (mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格
8	1/4	50.0	7,360	50.0	7,360	59.0	8,200				
10	3/8	50.0	7,690	50.0	7,690	60.0	8,430				
15	1/2	65.0	8,430	65.0	8,430	74.0	9,560	110.0	42,300	56.0	11,600
20	3/4	68.0	10,100	68.0	10,100	80.0	11,400	120.0	50,400	65.0	15,100
25	1	79.0	13,700	79.0	13,700	94.0	15,600	130.0	73,300	78.0	20,900
32	11/4	86.0	20,500	86.0	20,500			140.0	95,200	86.0	30,700
40	11/2	96.0	24,800	96.0	24,800			165.0	121,000	96.0	40,500
50	2	109.0	37,000	109.0	37,000			180.0	145,000	109.0	58,100
65	21/2	127.0	83,200					190.0	233,000		
80	3	153.0	138,000					200.0	275,000		
100	4	179.0	191,000					230.0	0		
備	考	ボア径:スタンタ	ダードボア	ボア径:スタンタ	ードボア	ボア径:スタンダ	ブードボア	ボア径:フルボア	,	ボア径:スタンク 公共建築工事標準	

■汎用ボールバルブ Tボールシリーズ

<i>//</i> 1/11/11/11					"		"		,,	
名 称		「ネックTボール		ボール	Tボ-	ール	Тボ·	ール		ール
外観	(400型) (国 土)		150型)		(150型)		(400型)		(600型)	
製品記号		TLT		TY	TF	:J	TI	M	Т	K
呼び径	面間 (mn	n) 価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格
6 1/8	8								32.0	3,930
8 1/.	4		46.0	7,420					39.0	3,930
10 3/	8		48.0	7,990			56.0	13,400	44.0	4,640
15 ¹ /:	2 56.0	11,600	48.0	8,190	62.0	13,400	60.0	14,000	56.5	5,270
20 3/	4 65.0	15,100	60.0	9,760	73.0	16,700	68.0	18,200	59.0	6,630
25 1	78.0	20,900	66.0	13,800	85.0	23,300	80.0	24,800	71.0	9,290
32 1 ¹ /-	4 86.0	30,700			98.0	33,000	86.0	0	78.0	14,800
40 1 ¹ /:	96.0	40,500			108.0	43,500	101.0	0	83.0	17,600
50 2	109.0	58,100			124.0	61,100	117.0	0	100.0	26,200
65 2 ¹ /:	2						136.0	0		
	3						160.0	0		
備考	ボア径:ス公共建築コ	スタンダードボア 工事標準仕様書相当品	ボア径:レデ	ューストボア	ボア径:フルボ	7	ボア径:スタン	ダードボア	ボア径:レデュ	ーストボア

■汎用ボールバルブ Tボールシリーズ

	ニールバルブ Tz	ホール								
名 称	Tボール		Tボール		横形三方	Tボール	横形三次	方Tボール	竪形三方	Tボール
外観	600型) ⊢i-		60039		400型 水		400型		400型	
製品記号	TKT		TKW		Т	N	T4T	/ T4L	TV2T	TV2L
呼び径	面間(mm) (i	西格	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格	面間(mm)	価格
6 1/8	32.0	3,930	32.0	3,930						
8 1/4	39.0	3,930	39.0	3,930	40.0	8,320			40.0	14,000
10 3/8	44.0	4,640	44.0	4,640	46.0	8,720			46.0	15,600
15 1/2	56.5	5,270	56.5	5,270	67.0	9,920	70.0	16,800	67.0	20,900
20 3/4	59.0	6,630	59.0	6,630	68.0	11,000	85.0	21,100	68.0	31,500
25 1	71.0	9,290	71.0	9,290	79.0	15,600	100.0	31,900	79.0	31,900
32 11/4	78.0 1	4,800			89.0	23,300	115.0	35,400	89.0	48,300
40 11/2	83.0 1	7,600			100.0	29,000	130.0	63,800	100.0	61,600
50 2	100.0 2	6,200			115.0	44,400	150.0	87,200	115.0	91,900
65 2 ¹ / ₂					138.0	87,800				
80 3					166.0	138,000				
備考	ボア径:レデュースト	ボア	ボア径:レデュース	トボア	切換フォーム: 横形三方二面シ ボア径: スタン	ート:Lポート	切換フォーム 横形三方四面3 Tポート: [記 Lポート: [記 ボア径: スタン	√−ト !] T4T] T4L	切換フォーム: 竪形三方二面シ Tポート: [記] Lポート: [記] ボア径: スタン	− ト TV2T TV2L

BC5 10

■JIS規格品・汎用品

名 称	グロ-	ーブ	グロ	I ーブ	グロ	コーブ	ゲ-	- ト	ゲ-	-ト
外観			JIS		10K (a) ±		JIS JIS		JIS	
製品記号	K			J		JB	ı	M		
呼び径	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間 (mm)	価格
8 1/4			50.0	7,000						
10 ³ / ₈	50.0	6,730	55.0	7,510						
15 ¹ / ₂	60.0	7,000	65.0	8,440	85.0 ●	39,100	50.0	6,510	55.0	9,280
20 3/4	70.0	9,150	80.0	11,400	95.0 ●	46,000	60.0	8,690	65.0	13,000
25 1	80.0	13,000	90.0	15,700	110.0	67,300	65.0	11,900	70.0	18,500
32 11/4	100.0	24,000	105.0	29,700	130.0	96,200	75.0	20,100	80.0	27,900
40 11/2	110.0	27,700	120.0	32,600	150.0	114,000	85.0	26,700	90.0	39,100
50 2	135.0	45,600	140.0	52,700	180.0 ●	156,000	95.0	39,100	100.0	55,200
65 21/2	160.0	94,900	180.0	120,000	210.0	264,000	115.0	84,600	120.0	110,000
80 3	190.0	137,000	200.0	178,000	240.0	394,000	130.0	127,000	140.0	178,000
100 4 備考	●: JIS B2011		JIS B2011		280.0	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	JIS B2011		JIS B2011	
畑石	■ . JI2 DZUTT		313 02011		▼・△六炷宋上書	アボギル球画化当の	JIJ DZU I I		313 02011	

■ JIS規格品・汎用品

JI:	> 規作	A品・汎用	面				
名	称	ゲ・	-1-	スイング	チャッキ	スインク	゙ チャッキ
外	観	10K (S) ±		10K JIS		10K	
製品	記号	L	.В	()	C)B
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格
10	3/8			55.0 ●	7,370		
15	1/2			65.0 ●	7,960	85.0	34,500
20	3/4	90.0	50,500	80.0	9,990	95.0	42,000
25	1	100.0	82,300	90.0	14,600	110.0	63,000
32	11/4	110.0	98,900	105.0	25,700	130.0	87,400
40	11/2	125.0	126,000	120.0	31,000	150.0	112,000
50	2	140.0	167,000	140.0 ●	50,200	180.0	148,000
65	21/2	170.0	277,000	180.0	110,000	210.0	235,000
80	3	190.0	370,000	200.0	141,000	240.0	272,000
100	4	220.0	0			280.0	0
備:	考	●:公共建築工事	標準仕様書相当品	• : JIS B2011			

BC7

■鉛フリーキーパロイ製 給水用コアコートバルブ

名	称	ゲート		ゲート		埋設用ゲ-	- ト	竪形リフト	チャッキ	スイングチャ	ッキ
外	観	SK B ± JV Bykiiii yk	I H	10K 国 土 JV 日水協 水	I e	10K 国 主 JV 日水版 水 NRS		10K 国 士 JV 日水協 水		10K 国 主 JV 日水協 水	
製品	記号	MNW		LNW		WNW	/	RFN	N	ONW	1
呼び	径	面間(mm) f	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
13						67.0	12,800				
15	1/2	57.0	8,870	57.0	12,700			73.0	7,830	82.0	10,800
20	3/4	64.0 1	1,900	64.0	18,000	71.0	17,400	80.0	10,600	98.0	13,700
25	1	72.0 1	6,300	72.0	24,800	82.0	24,200	91.0	15,400	109.0	20,000
30						92.0	39,500				
32	11/4	81.0 2	27,400	81.0	38,500			103.0	20,900	125.0	34,600
40	11/2	83.0	36,000	83.0	52,300	93.0	50,000	109.0	28,800	138.0	42,000
50	2	100.0 5	4,900	100.0	75,100	109.0	77,300	126.0	45,000	162.0	67,400
備	考	日水協認証番号:E-1 JV5:2008適合 公共建築工事標準仕様	書適合品	日水協認証番号:E- JV5:2008適合 公共建築工事標準仕		日水協認証番号:E JV5:2008適合 公共建築工事標準位		日水協認証番号: JV5:2008適合 公共建築工事標準		日水協認証番号:E JV5:2008適合 公共建築工事標準付	

■鉛フリーキーパロイ製 給水用コアコートバルブ

名	称	ロングネッ	クボール	ロングネ	ックボール	Y形スI	トレーナ	
外	品記号 TLNW			10K 国 士 JV 日水協 水		10K 国 土 JV 日水協 水		
製品	記号 TLNW		IW	TLT	NW	YN	WK	
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格	
15	1/2	59.0	14,300	59.0	14,300	91.0	9,990	
20	3/4	67.0	18,500	67.0	18,500	104.0	13,000	
25	1	80.0	25,800	80.0	25,800	123.0	20,000	
32	11/4	91.0	37,800	91.0	37,800	141.0	28,600	
40	11/2	103.0	49,900	103.0	49,900	160.0	34,300	
50			71,800	120.0	71,800	198.0	54,900	
備	考	日水協認証番号 JV5:2008適合 公共建築工事標 ボア径:スタン2	ì 隼仕様書適合品	日水協認証番号 JV5:2008適 公共建築工事標 ボア径:スタン	今 準仕様書適合品	日水協認証番号 JV5:2008適定 公共建築工事標		

■鉛フリーキーパロイ製 給湯用コアコートバルブ

名	称	ゲート		ゲ	* -	スイング	チャッキ	ロングネ	ックボール	Y形スト	トレーナ
外	観	5K 国 主 JV 三水協 水		10K 国 士 JV 日水協 水		10K 国 主 JV 日水協 水		10K 国 主 JV 日水協 水		10K 国 主 JV 日水師 水	7
製品	記号	# MNH		L	.NH	ONH		TLNH		YNHK	
呼び	'径	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格
15	1/2	57.0	8,870	57.0	12,700	82.0	10,800	59.0	14,300	91.0	9,990
20	3/4	64.0	11,900	64.0	18,000	98.0	13,700	67.0	18,500	104.0	13,000
25	1	72.0	16,300	72.0	24,800	109.0	20,000	80.0	25,800	123.0	20,000
32	11/4	81.0	27,400	81.0	38,500	125.0	34,600	91.0	37,800	141.0	28,600
40	11/2	83.0	36,000	83.0	52,300	138.0	42,000	103.0	49,900	160.0	34,300
50	2	100.0	54,900	100.0	75,100	162.0	67,400	120.0	71,800	198.0	54,900
備	考	日水協認証番号: JV5:2008適合 公共建築工事標準		日水協認証番 JV5:2008適 公共建築工事		日水協認証番号 JV5:2008適定 公共建築工事標		日水協認証番号 JV5:2008適 公共建築工事標 ボア径:スタン	合 [準仕様書適合品	日水協認証番号 JV5:2008適定 公共建築工事標	

給水1 18

■鉛フリーキーパロイ製 JIS規格品

名	称	グロ-	ーブ	ゲ・	-ト	ゲ・	-ト	ゲ-	-ト	ゲー	- ト
外	外 観 外 観 以 以 以 別 別 別 別 別 別 別 別 別 別 別 別 別			5K JIS 水		JIS **		10K JIS 米		10K JIS **	
製品	記号	11	J	N	1N	CI	MN	L	N	CLN	
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
8	1/4	50.0	8,710								
10	3/8	55.0	9,320								
15	1/2	65.0	10,500	50.0	8,100	50.0	9,510	55.0	11,600	50.0	13,800
20	3/4	80.0	14,200	60.0	10,800	65.0	12,700	65.0	16,500	65.0	19,600
25	1	90.0	19,800	65.0	15,100	75.0	17,600	70.0	22,900	75.0	28,900
32	11/4	105.0	37,200	75.0	25,300	80.0	29,100	80.0	34,900	82.0	44,600
40	11/2	120.0	40,500	85.0	33,300	88.0	38,200	90.0	49,000	92.0	61,100
50	2	140.0	64,900	95.0	48,900	108.0	59,900	100.0	68,800	110.0	87,100
65	21/2			115.0	104,000			120.0	134,000		
80	3			130.0	156,000			140.0	217,000		
備	考	JIS B2011		JIS B2011		JIS B2011		JIS B2011		JIS B2011	

■鉛フリーキーパロイ製 JIS規格品 ■鉛フリーキーパロイ製 汎用品

名	称	スイングチー	ァッキ	グロ・	ーブ	埋設用	ゲート	埋設用塩ビ管線	継手付ゲート	塩ビ管継	手付ゲート
外				125型		10K 日水版 水 NRS		10K 日水版 水 NRS		10K EJKIS JK NRS	
製品	記号	ON		G	N	V	/N	WV۱	ΝN	WVKN	
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格
10	3/8	55.0	9,240								
13						55.0	10,900	94.0	15,100	94.0	13,400
15	1/2	65.0	9,960	57.0	9,530						
20	3/4	80.0	12,700	66.0	13,400	65.0	15,100	117.0	19,100	117.0	17,200
25	1	90.0	18,400	76.0	17,800	70.0	20,600	130.0	27,300	130.0	24,700
30						80.0	33,600				
32	11/4	105.0	31,800	88.0	27,000						
40	11/2	120.0	38,700	100.0	36,600	90.0	42,900				
50	2	140.0	62,400	120.0	56,900	100.0	66,400				
備	考	JIS B2011		日水協認証番号	: E-1	日水協認証番号	: E-1	日水協認証番号	: E-1	日水協認証番号	: E-1

■鉛フリーキーパロイ製 汎用品

		-					
名	称	エスロハイパー	-AW用ゲート	エスロハイパ-	-AW用ゲート	竪形リフト	トチャッキ
外	観	10K	<u> </u>	10K		10K 日水協 水	
製品	記号	OPL	N	FP	LN	RF	-N
呼び	径	面間 (mm)	価格	面間 (mm)	価格	面間(mm)	価格
15	1/2					53.0	7,010
20	3/4	280.0	21,800	302.0	28,400	59.0	9,440
25	1	290.0	28,300	320.0	36,200	67.0	13,700
30		323.0	42,400	363.0	51,400		
32	11/4					78.0	18,500
40	11/2	335.0	57,500	423.0	66,400	84.0	25,800
50	2	375.0	75,400	479.0	84,700	98.0	40,400
備	考	システム研究会 (積水化学工業	WA005/006 Jエチレン管/継手 Jエチレンパイプ :規格	システム研究会 (積水化学工業	WA005/006 リエチレン管/継手 リエチレンパイプ k規格	日水協認証番号	:: F-68

■鉛フリーキーパロイ製 汎用品

名 称	スイングチ	ヤツキ	スイング	ブチャッキ	ウエハ	チャッキ	Y形スト	トレーナ	Y形スト	レーナ
外 観	125型 日水協 水	b	125型 国 士 日水協 水		10K 国 主 日水協 水		150至(10K) 国 士 日水低 水	3	(\$50 <u>#</u> (10K) (#3)x (#5) **	-
製品記号	RN		C	RN	10B	WZN	YN	JK	CYI	VK .
呼び径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
10 3/8	53.0	5,690	56.0	6,250						
15 ¹ / ₂	60.0	7,010	67.0 ●	7,690			80.0	9,310	80.0	0
20 3/4	70.0	8,880	89.0 ●	9,810			100.0	11,900	105.0	0
25 1	80.0	13,900	104.0	15,200			115.0	17,400	125.0	0
32 11/4	92.0	19,600	120.0 ●	21,600			135.0	24,700	145.0	
40 11/2	102.0	25,300	134.0	28,400	54.0	103,000	160.0	30,000	170.0	0
50 2	122.0	41,600	164.0 ●	45,000	56.0	106,000	195.0	47,700	210.0	0
65 2 ¹ / ₂	150.0	70,400			56.0	138,000				
80 3					59.0	160,000				
100 4					66.0	212,000				
125 5					72.0	273,000				
150 6					78.0	376,000				
200 8					96.0	554,000				
備考	日水協認証番号:[E-464	日水協認証番 ⁵ ●:公共建築工	号:E-464 事標準仕様書相当品	日水協認証番号 公共建築工事材 配管用ボルトラ	票準仕様書適合品	日水協認証番号 スクリーン: 304ステンレス: 内網40メッシュラ 公共建築工事標	板で補強された ステンレス鋼線網	日水協認証番号 スクリーン: 304ステンレス 内網40メッシュス	仮で補強された

■鉛フリーキーパロイ製 汎用品


161			1 44 // 11/	700							
名	称	ロングネック	フボール	ロングネッ	クボール	ロングネ	ックボール	ロングネッ	クボール	ロングネッ	クボール
外	400型 国 士 日水協 水 外 観			国土田水區水		10版 国 士 日水區 水		10K 国 土 日水谱 水		(400型) (B 土) 日水協 米	
製品	記号	TLN	ı	TLNT		TLNF		TLN	IFT	CTLN	
呼び	径	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格
15	1/2	56.0	13,400	56.0	13,400	56.0	15,600	56.0	15,600	58.0	13,900
20	3/4	65.0	17,200	65.0	17,200	65.0	20,300	65.0	20,300	73.0	17,800
25	1	78.0	24,200	78.0	24,200	77.0	30,000	77.0	30,000	88.0	25,000
32	11/4	86.0	35,400	86.0	35,400	90.0	41,600	90.0	41,600	99.0	36,600
40			46,500	96.0	46,500	98.0	58,100	98.0	58,100	114.0	49,000
50	2	109.0	67,300	109.0	67,300	119.0	82,100	119.0	82,100	135.0	71,700
備	備考 日水協認証番号:E-1 公共建築工事標準仕様書		仕様書相当品	日水協認証番号: E-1 公共建築工事標準仕様書相当品		日水協認証番号:E-1 公共建築工事標準仕様書適合品					
		ボア径:スタンダ	一トホア	ボア径:スタン	ソートボア	ボア径:フルボ	. /	ボア径:フルボ	γ	ボア径:スタン:	ソートボア

給水3 20

JIS規格品

名	かた 们 称			5	デート	ゲ	- ト	ゲ・	- ト	開度インジグ	アータ付ゲート
外	5K JIS			JIS Fra		10K JIS		10K JIS		10K JIS NRS	
製品記	2号	51	FCM	10	0FCL	1 OF	CLS	10F	CLU	10F	CWI
呼び	径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
40	11/2			165.0	46,700	165.0	52,700	165.0	59,100	165.0	48,800
50	2	160.0	42,500	180.0 ●	50,400	180.0	57,500	180.0	63,600	180.0 ●	53,000
65	21/2	170.0	51,400	190.0		190.0	66,700	190.0 ●	74,500	190.0 ●	61,300
80	3	180.0	59,600	200.0	73,300	200.0	83,000	200.0	92,800	200.0 ●	76,700
100	4	200.0	82,400	230.0		230.0	119,000	230.0	134,000	230.0	109,000
125	5	220.0	125,000	250.0	149,000	250.0	170,000	250.0	190,000	250.0	156,000
150	6	240.0	162,000	270.0	197,000	270.0	225,000	270.0	251,000	270.0	207,000
200	8	260.0	273,000	290.0	322,000	290.0	365,000	290.0 ●	410,000	290.0 ●	339,000
250	10	300.0	442,000	330.0 ●	503,000	330.0	569,000	330.0 ●	635,000	330.0 ●	527,000
300	12			350.0 ●	673,000	350.0 ●	766,000	350.0 ●	852,000	350.0 ●	700,000
350	14			381.0	© .	381.0	0	381.0	©		
400	16			406.0	© .	406.0	0	406.0	0		
450	18					432.0	0	432.0	©		
500	20					457.0	0	457.0	0		
600	24					508.0	0	508.0	0		
備老		JIS B2031		● : JIS B203	31	● : JIS B203	1	• : JIS B2031		● : JIS B203	1

JIS規格品



FC1 44

JIS規格品・一般弁



■ナイロン11ライニングJIS規格品

名	称	ゲ-	<u>ーフフリロ</u> -ト		<u>"-</u> -	グロ	ーブ	スインク	ブチャッキ
外	5K JIS 日水版 水		10K JIS 日水道 水		10k JIS 日水版 水		10K JIS 日本語 水		
製品	記号 5FCMN		10	FCLN	10F	CJN	10FCON		
呼び	び径 面間 (mm) 価格		面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	
50	2			180.0	118,000	200.0	112,000	200.0	98,900
65	21/2	170.0	115,000	190.0	121,000	220.0	132,000	220.0	108,000
80	3	180.0	131,000	200.0	139,000	240.0	162,000	240.0	121,000
100	4	200.0	187,000	230.0	212,000	290.0	225,000	290.0	174,000
125	5	220.0	266,000	250.0	300,000	360.0	346,000	360.0	277,000
150	6	240.0	337,000	270.0	355,000	410.0	437,000	410.0	377,000
200	8	260.0	501,000	290.0	538,000	500.0	697,000	500.0	572,000
250	10	300.0	0	330.0	0				
300	12			350.0	0				
備		JIS B2031 日水協認証番号 ・水道施設浸出性	:E-236 性能適合品:特注	JIS B2031 日水協認証番 ・水道施設浸出	号:E-236 出性能適合品:特注	JIS B2031 日水協認証番号 ・水道施設浸出性	:: E-236 性能適合品:特注	JIS B2031 日水協認証番号 ・水道施設浸出	号:E-486 性能適合品:特注

■ナイロン11ライニング

名	称	カウンターウェイト付スイングチャッキ		ボール	チャッキ	Y形ス	トレーナ	Y形ストレーナ	
外	観	10K		B		10K 日水協 水		10K 图 土 日水協 水	
製品	記号	10FCC	N-C	10F	CFTN	10F	CYN	10	FCYNK
呼び		面間(mm) 価格		面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
	11/2			190.0	67,300				
50	2	200.0	0	200.0	71,700	230.0	58,500	230.0	60,500
65	21/2	220.0	0	220.0	89,400	305.0 ●	97,800		102,000
80	3	240.0	0	240.0	120,000	360.0 ●	115,000	360.0	119,000
100	4	290.0	0	290.0	179,000	415.0 ●	150,000		156,000
125	5	360.0	0	360.0	277,000	465.0 ●	225,000	465.0	231,000
150	6	410.0	©	410.0	305,000	515.0 ●	273,000	515.0	289,000
200	8	500.0	0			580.0 ●	404,000	580.0	424,000
250	10					680.0 ●	0	680.0	• 0
300	12					800.0	0		
備	考			垂直配管用		スクリーン:	番号: Z-52 性能適合品: 特注 ステンレス打抜板	●:公共建築〕 スクリーン: 304ステンレ	出性能適合品:特注 事標準仕様書適合品

■10K一般弁

10	<u></u>	股开							
名	称	開度インジケ	ータ付ゲート	カウンターウェイト	付スイングチャッキ	スイング	チャッキ	スイング	チャッキ
外	10K NRS 外 観		10K		10K		106		
製品		10FCHI		1050	OU-C	10F0	COP.	10EC	OUR
野び		面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
	1 ¹ / ₂	140.0	40,000	田间(IIIII)	Ⅲ作□	190.0	62,000	190.0	76,900
50	2	146.0	46,800	200.0	131,000	200.0	63,500	200.0	77,600
65	21/2	159.0	54,300	220.0	147.000	220.0	73,700	220.0	91,800
80	3	165.0	65,200	240.0	197,000	240.0	86,800	240.0	109,000
100	4	171.0	91,900	290.0	259,000	290.0	115,000	290.0	149,000
125	5	190.0	132,000	360.0	389,000	360.0	161,000	360.0	211,000
150	6	210.0	174,000	410.0	597,000	410.0	202,000	410.0	271,000
200	8	241.0	274,000	500.0	770,000	500.0	339,000	500.0	445,000
250	10	273.0	460,000			620.0	0	620.0	0
300	12	305.0	605,000			700.0	<u> </u>	700.0	0
備	考					ジスク:NBR		ジスク:NBR	

FC3 46

■10Kストレーナ

名	称	Y形ストレーナ		Y形スト	トレーナ	U形ストレーナ		
外	観	10FCY 面間 (mm) 価格		10K		1050		
製品	記号	10	FCY	10F	CYK	10FC	:U	
呼び	が径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	
10	3/8	115.0	8,310	115.0	9,790			
15	1/2	125.0	9,190	125.0	10,600			
20	3/4	140.0	11,000	140.0	12,600			
25	1	150.0	14,800	150.0	16,100			
32	11/4	170.0	19,600	170.0	21,400			
40	11/2	190.0	22,300	190.0	24,100			
50	2	230.0	27,300	230.0	29,200	265.0	©	
65	21/2	305.0	44,300	305.0	47,900	290.0	0	
80	3	360.0	53,500	360.0 ●	57,700	335.0		
100	4	415.0	74,500	415.0	79,600	390.0	0	
125	5	465.0	114,000	465.0	121,000	460.0	0	
150	6	515.0	160,000	515.0	172,000	540.0	0	
200	8	580.0	236,000	580.0 ●	255,000			
250	10	680.0	404,000	680.0	428,000			
300	12	800.0	673,000	800.0	704,000			
350	14	950.0		950.0	0			
備	考	スクリーン: 60° 千鳥抜き	ステンレス打抜板	スクリーン: 304ステンレス	標準仕様書適合品 板で補強された ステンレス鋼線網	スクリーン: 60°千鳥抜きステ	ンレス打抜板	

■クラス125シリーズ

	フス	125シリー									
名	称	ゲー	-	ゲー	- ト	開度インジグ	アータ付ゲート	開度インジケ-	-タ付ゲート	グロ	ーブ
外	観	125		125		125 NRS		125 NRS		125	
製品	記号	125F	CL	125F	CLS	125	FCWI	125F	CHI	125	FCJ
呼び	径	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
40	11/2							140.0			
50	2	178.0	0	178.0	0	178.0	0	146.0	0	203.0	0
65	21/2	190.0	0	190.0	0	190.0	0	159.0	0	216.0	0
80	3	203.0	0	203.0	0	203.0	0	165.0	0	241.0	0
100	4	229.0	0	229.0	0	229.0	0	171.0	0	292.0	0
125	5	254.0	0	254.0	0	254.0	0	190.0	0	330.0	0
150	6	267.0	0	267.0	0	267.0	0	210.0	0	356.0	0
200	8	292.0	0	292.0	0	292.0	0	241.0	0	495.0	0
250	10	330.0	0	330.0	0	330.0	©				
300	12	356.0	0	356.0	0	356.0	0				
350	14	381.0	0	381.0	0						
備	考										

■クラス125シリーズ

		12529—							
名	称	グロー	ブ	スイング	チャッキ	スイング	チャッキ	Y形スト	レーナ
外	観	125		125		125		125	
製品	記号	125FC	CJS	125F	CO	125F	cos	125	FCY
呼び	が径	面間 (mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格
50	2	203.0	0	203.0	0	203.0		250.0	0
65	21/2	216.0	0	216.0	0	216.0	0	285.0	0
80	3	241.0	0	241.0	0	241.0	0	315.0	0
100	4	292.0	0	292.0	0	292.0	0	370.0	0
125	5	330.0	0	330.0	0	330.0	0	420.0	0
150	6	356.0	0	356.0	0	356.0	0	490.0	0
200	8	495.0	0	495.0	0	495.0	©	570.0	0
250	10			622.0	0	622.0	0	680.0	0
300	12			698.0	0	698.0	0	800.0	0
350	14					787.0	0	950.0	0
備	考							スクリーン: 60°千鳥抜きス	テンレス打抜板

■ボールバルブ10K

名 称	バルフ TUN ボール		ボー	رال-	ボ-	ール	横形三7	ラボール	構形三	方ボール
外観	10K		10K S ±		10K		(現形) 10K	M	快ル	
製品記号	10FC	T	10FCTB /	G-10FCTB	10F	CTR	10FC	TB2L	10F	CTR2L
呼び径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	 価格
10 3/8	72.0	10,500								
15 ¹ / ₂	80.0	11,000	110.0	15,600						
20 3/4	85.0	14,600	120.0	17,500						
25 1	95.0	16,700	130.0	23,600						
32 1 ¹ / ₄	120.0	22,800	140.0	32,100						
40 1 ¹ / ₂	120.0	28,800	165.0	38,500			210.0	88,900		
50 2	140.0	35,100	180.0	46,700			220.0	107,000		
65 2 ¹ / ₂	160.0	72,000	190.0 ∗●	76,900			250.0	146,000		
80 3	182.0	91,200	200.0 ∗●	98,400			260.0	172,000		
100 4			230.0 ∗●	145,000			330.0	251,000		
125 5			300.0 ∗●	271,000	250.0 *	167,000			370.0	285,000
150 6			340.0 ∗●	374,000	270.0 *	278,000			430.0 *	446,000
200 8			450.0 ∗●	654,000	290.0 *	435,000			540.0 *	550,000
250 10				1,422,000	330.0 *	690,000	I min	DD. 4	1212	
備考	ボア径:フルボア		ボア径: フルボア *: ギア操作機対応可 ●: 公共建築工事標準仕様書適合品 (G-10FCTB65 ^A - 200 ^A)		ボア径: レデューストボア *: ギア操作機対応可		切換フォーム:関資1 横形三方二面シート:Lポート ボア径:フルボア		切換フォーム:関資1 横形三方二面シート:Lポート ボア径:レデューストボア *:ギア操作機対応可	

FC5 48

■アルミ製XJシリーズ PPSジスク

名	称	XJシリーズ《ロ	ングネック》	XJシリーズ《ロ	ングネック》	XJシリーズ《ショ	ョートネック》	XJシリーズ《シ:	ョートネック》
外	観	SK/10K)))	SK/10K)		(SK/10K)		(5K/10K)	
製品記	記号	10XJ	IPE	G-10	(JPE	10XJ	ISPE	G-10X	JSPE
呼び	径	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
40	11/2	33.0	0	33.0	0	33.0	0	33.0	0
50	2	43.0	0	43.0	0	43.0	0	43.0	0
65	21/2	46.0	0	46.0	0	46.0	0	46.0	0
80	3	46.0	0	46.0	0	46.0	0	46.0	0
100	4	52.0	0	52.0	0	52.0	0	52.0	0
125	5	56.0	0	56.0	0	56.0	0	56.0	0
150	6	56.0	0	56.0	0	56.0	0	56.0	0
200	8			60.0	0			60.0	0
備	考	ジスク:PPS+SC	S13A	ジスク:PPS+SC	S13A	ジスク:PPS+S(CS13A	ジスク:PPS+S(CS13A

■ダクタイル鉄製 DJシリーズ

タ	クタ	'イル鉄製	DJシリー:	X							
名	称	DJシリ	リーズ	DJ:	シリーズ	DJ:	シリーズ	DJ51	Jーズ	DJS	ノリーズ
外	観	SK/10K	14	SK/10K)		(5K/10K)	Į I	(5K/10K)		5K/10K (a) ±	
製品	記号	100	טו	G-	10DJ	VG	-10DJ	100	JU	G-1	0DJU
呼び	径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
40	11/2							33.0	31,400	33.0	54,500
50	2	43.0	28,400	43.0	51,500	43.0	60,800	43.0	31,400	43.0 ●	54,500
65	21/2	46.0	30,600	46.0	53,700	46.0	60,900	46.0	34,000	46.0 ●	56,900
80	3	46.0	34,000	46.0	58,000	46.0	64,100	46.0	37,800	46.0 ●	61,600
100	4	52.0	41,100	52.0	61,500	52.0	66,900	52.0	47,600	52.0 ●	
125	5	56.0	56,700	56.0	78,600	56.0	91,300	56.0	64,200	56.0 ●	00,200
150	6	56.0	63,500	56.0	85,700	56.0	97,500	56.0	74,600	56.0 ●	30,300
200	8			60.0	125,000	60.0	149,000			60.0 ●	
250	10			68.0	169,000	68.0	190,000			68.0 ●	212,000
300	12			78.0	215,000	78.0	228,000			78.0 ●	270,000
350	14			78.0	429,000	78.0	537,000			78.0 ●	
400	16			102.0	537,000	102.0	653,000			102.0 ●	655,000
450	18			114.0	652,000	114.0	769,000			114.0 ●	822,000
500	20			127.0	759,000	127.0	899,000			127.0 ●	979,000
550	22										1,069,000
600	24			154.0	1,186,000	154.0	1,668,000				1,550,000
650	26									165.0	©
700	28									165.0	0
750	30									190.0	©
800	32									190.0	0
備	考	JIS B2032規格道 ジスク:FCD45		JIS B2032規 ジスク:FCE	格適合品 0450-10+ENP	JIS B2032規 ジスク:FCD	格適合品)450-10+ENP	JIS B2032規格 ジスク:SCS13		JIS B2032規模 ジスク: SCS1 ●:公共建築工	

■ダクタイル鉄製 DJシリーズ

	1 ル妖袋	ロリンリー	^							
名 称	DJシ	リーズ	DJ&I	ノーズ	DJS	ノリーズ	DJ	ソリーズ	DJシリーフ	ズ(結露防止)
外観	SK/10K (a) ±		SK/10K)		5K/10K		SK/10K) 国 士		(5K/10K)	H ¹
製品記号		0DJU	10D			ODJUE		10DJUE		DJKUE
呼び径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
40 11/2	33.0	63,800	33.0	34,300	33.0	57,500	33.0	66,700		
50 2	43.0 ●	63,800	43.0	34,300	43.0 ●	57,500	43.0	66,700	43.0	71,100
65 21/2	46.0 ●	64,200	46.0	37,200	46.0 ●	60,000	46.0		46.0	75,100
80 3	46.0 ●	67,900	46.0	41,300	46.0 ●	65,300	46.0	71,200	46.0	81,400
100 4	52.0 ●	73,500	52.0	52,200	52.0 ●	72,800	52.0		52.0	92,000
125 5	56.0 ●	98,800	56.0	69,900	56.0 ●	91,900	56.0		56.0	115,000
150 6	56.0 ●	109,000	56.0	81,900	56.0 ●	104,000	56.0	118,000	56.0	131,000
200 8	60.0 ●	167,000			60.0 ●	159,000	60.0	182,000	60.0	197,000
250 10	68.0 ●	234,000			68.0 ●	236,000	68.0		68.0	290,000
300 12	78.0 ●	284,000			78.0 ●	299,000	78.0		78.0	368,000
350 14	78.0 ●	642,000			78.0 ●	571,000	78.0	0, 5,000	78.0	733,000
400 16	102.0 ●	770,000			102.0	692,000	102.0	808,000	102.0	
450 18	114.0 ●	941,000			114.0	872,000	114.0	989,000	114.0	
500 20	127.0 ●	1,119,000			127.0 ●	1,039,000	127.0	1,179,000	127.0	0
550 22					154.0 ●	1,144,000				
600 24	154.0 ●	2,031,000			154.0 ●	1,647,000	154.0	2,129,000	154.0	
650 26					165.0	0				
700 28					165.0	<u> </u>				
750 30					190.0	<u>©</u>				
800 32	UC D0000 1515	V# ^ F	WC DOOD 017/17/17	÷ ^ □	190.0	0	UC D000017	Lave A D	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
備考	JIS B2032規格 ジスク: SCS13 ●:公共建築工事		JIS B2032規格 ジスク:SCS13		JIS B2032規 ジスク: SCS´ ●:公共建築工		JIS B2032規 ジスク:SCS ●:公共建築工		ジスク: SCS13	3A

■ダクタイル鉄製 DJシリーズ

9 .		1 ル妖装	ロリンリー	^							
名;	称	DJシ	リーズ	DJ	フリーズ	DJ:	シリーズ	DJシ	リーズ	DJシ	リーズ
外(覲	16K	H.			16K		16K		16K (<u>1</u> ±)	
製品記	号	16	DJ	G-	16DJ	VG	i-16DJ	160	OJU	G-1	6DJU
呼び	圣	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格
50	2	43.0	70,600	43.0	93,500	43.0	101,000	43.0	73,500	43.0	96,500
65	$2^{1}/_{2}$	¹ / ₂ 46.0 75,10		46.0	97,800	46.0	106,000	46.0	78,400	46.0	102,000
80	3	3 46.0 75,50		46.0	99,200	46.0	106,000	46.0	79,400	46.0	103,000
100	4	4 52.0 82,10		52.0	103,000	52.0	109,000	52.0	88,700	52.0	110,000
125	5	56.0	95,600	56.0	119,000	56.0	132,000	56.0	103,000	56.0	127,000
150	6	56.0	112,000	56.0	135,000	56.0	148,000	56.0	124,000	56.0	147,000
200	8			60.0	231,000	60.0	255,000			60.0	249,000
250	10			68.0	270,000	68.0	289,000			68.0	313,000
300	12			78.0	378,000	78.0	392,000			78.0	432,000
350	14			78.0	611,000	78.0	668,000			78.0	719,000
400	16			102.0	766,000	102.0	821,000			102.0	885,000
450	18			114.0	922,000	114.0	975,000			114.0	1,096,000
500	20			127.0	1,085,000	127.0	1,143,000			127.0	1,306,000
550	22									154.0	0
600	24			154.0	1,691,000	154.0	2,021,000			154.0	2,055,000
備考	5	JIS B2032規格 ジスク:FCD4		JIS B2032規 ジスク:FCD	格適合品)450-10+ENP	JIS B2032規 ジスク:FCD	格適合品 0450-10+ENP	JIS B2032規格 ジスク:SCS13		JIS B2032規札 ジスク:SCS1 公共建築工事札	

バタ3 72

■ダクタイル鉄製 DJシリーズ

名	称	DJシ	リーズ	DJシ	リーズ	DJシ	/ リーズ	DJ٤	/リーズ	DJシリース	(結露防止)
外	観	16K		16DJUE		16K (a) ±		16K (B) ±		16K	
製品	記号	VG-1	I6DJU	16D	JUE	G-16	SDJUE .	VG-1	6DJUE	G-16E	JKUE
呼び	径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
50	2	43.0	104,000	43.0	76,600	43.0	99,700	43.0	107,000	43.0	114,000
65	21/2	46.0	109,000	46.0	81,700	46.0	105,000	46.0	113,000	46.0	121,000
80	3	46.0	110,000	46.0	82,900	46.0	107,000	46.0	114,000	46.0	125,000
100	4	52.0	116,000	52.0	93,300	52.0	115,000	52.0	121,000	52.0	135,000
125	5	56.0	139,000	56.0	109,000	56.0	132,000	56.0	147,000	56.0	156,000
150	6	56.0	159,000	56.0	131,000	56.0	152,000	56.0	167,000	56.0	178,000
200	8	60.0	273,000			60.0	264,000	60.0	289,000	60.0	304,000
250	10	68.0	332,000			68.0	336,000	68.0	356,000	68.0	390,000
300	12	78.0	448,000			78.0	461,000	78.0	477,000	78.0	531,000
350	14	78.0	775,000			78.0	754,000	78.0	811,000	78.0	915,000
400	16	102.0	940,000			102.0	921,000	102.0	977,000	102.0	0
450	18	114.0	1,147,000			114.0	1,143,000	114.0	1,195,000	114.0	0
500	20	127.0	1,366,000			127.0	1,366,000	127.0	1,423,000	127.0	0
550	22					154.0	0				
600	24	154.0	2,386,000			154.0	2,153,000	154.0	2,483,000	154.0	0
備	考 ————————————————————————————————————	JIS B2032規札 ジスク:SCS1 公共建築工事机		JIS B2032規格 ジスク:SCS13		JIS B2032規 ジスク:SCS1 公共建築工事		JIS B2032規模 ジスク:SCS1 公共建築工事		ジスク: SCS13	3A

ダクタ			ズ							
名 称	DJシ	リーズ	DJ:	シリーズ	DJシリース	ズ(結露防止)	DJシリーズ((結露防止)	DJシ!	リーズ
外観	20K		20K		20K		25K		150	
製品記号	200	DJUE	G-2	0DJUE	G-20E	DJKUE	G-25D.	JKUE	(JP)1	50DJ
呼び径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
50 2			43.0	134,000	43.0	148,000	43.0	0	42.9	28,400
65 2 ¹ / ₂	46.0 121,000		46.0	141,000	46.0	158,000	46.0	0	46.0	30,600
80 3	46.0	136,000		150,000	46.0	167,000	46.0	0	46.0	34,000
100 4	52.0	146,000	52.0	151,000	52.0	172,000	52.0	0	52.3	41,100
125 5	56.0	156,000	56.0	181,000	56.0	203,000	56.0	0	55.6	56,700
150 6	56.0	187,000	56.0	203,000	56.0	227,000	56.0	0	55.6	63,500
200 8			60.0	336,000	60.0	376,000	60.0	0		
250 10			68.0	416,000	68.0	471,000	68.0	0		
300 12			78.0	582,000	78.0	653,000	78.0	0		
350 14			78.0	758,000						
400 16			102.0	948,000						
450 18			114.0	1,198,000						
500 20			127.0	1,490,000						
550 22			154.0	1,681,000						
600 24			154.0	2,417,000						
備考	ジスク:SCS13A ジスク		ジスク:SCS13A		ジスク: SCS13A		ジスク:SCS13A		ジスク: FCD450-10+ENP	

■ダクタイル鉄製 NFJシリーズ

名;	称	NFJシ	リーズ	NFJ	ンリーズ	NFJS	ノリーズ	NFJシ	/リーズ	NFJシ	リーズ
外(覣	SK/10K		(5K/10K)		SK/10K		SK/10K		SK/10K	
製品記	号	10NI	FJUE	G-10	NFJUE	VG-10	NFJUE	10NF	-JUW	G-10N	IFJUW
呼び	圣	面間(mm)	価格	面間 (mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間 (mm)	価格
50	2	43.0	53,000	43.0	63,300	43.0	70,600	43.0	54,600	43.0	65,500
65	21/2	46.0	57,500	46.0	67,300	46.0	74,600	46.0	59,200	46.0	69,200
80	3	46.0	64,600	46.0	77,000	46.0	85,400	46.0	66,600	46.0	79,600
100	4	52.0	85,400	52.0	94,800	52.0	106,000	52.0	87,300	52.0	97,300
125	5	56.0	116,000	56.0	131,000	56.0	149,000	56.0	119,000	56.0	135,000
150	6	56.0	148,000	56.0	156,000	56.0	178,000	56.0	149,000	56.0	160,000
200	8			60.0	197,000	60.0	258,000			60.0	201,000
250	10			68.0	297,000	68.0	341,000			68.0	300,000
300	12			78.0	355,000	78.0	431,000			78.0	360,000
備老	Ś	ジスク: SCS13	ЗА	ジスク:SCS1	3A	ジスク: SCS1.	3A	ジスク:SCS13	3A	ジスク:SCS13	3A

■ダクタイル鉄製 NFJシリーズ

— 7 .	77	1ル鉄製 1	MLJ シ リー								
名:	称	NFJシリ	リーズ	NFJシ	/リーズ	NFJS	ノリーズ	NFJシ	/リーズ	NFJシ	リーズ
外:	観	SK/10K	I	O		5K/10K		(5K/10K)		SK/10K) J	
製品記	谔	VG-10N	FJUW	10N	FJNE	G-10	NFJNE	VG-10	NFJNE	10NF	JNW
呼び	径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格
50	2	43.0 72,500		43.0	53,100	43.0	63,500	43.0	70,600	43.0	61,100
65	21/2	46.0 76,300		46.0	57,700	46.0	67,700	46.0	74,600	46.0	65,700
80	3	46.0	87,700	46.0	64,900	46.0	76,300	46.0	85,400	46.0	74,300
100	4	52.0	109,000	52.0	84,000	52.0	93,500	52.0	106,000	52.0	97,400
125	5	56.0	151,000	56.0	113,000	56.0	128,000	56.0	149,000	56.0	130,000
150	6	56.0	181,000	56.0	141,000	56.0	151,000	56.0	178,000	56.0	164,000
200	8	60.0	259,000			60.0	197,000	60.0	258,000		
250	10	68.0	343,000			68.0	274,000	68.0	341,000		
300	12	78.0	435,000			78.0	329,000	78.0	431,000		
備老		ジスク:SCS13A	A	ジスク: FC450-10+	ナイロン11ライニング	ジスク: FC450-10-	+ナイロン11ライニング	ジスク: FC450-10+	ナイロン11ライニング	ジスク:FC450-10+:	ナイロン11ライニング

バタ9 78

■Bシリーズ 5K/10K

	<i>X</i> 310/10	<i>7</i> 1 \										
名 称	ゲート《SC	S13A》	ゲート《SCS	514A》	ゲー	ト《SCS1	3A》	ゲー	ト《SCS14	A》	ゲート《SC	CS13A》
外観	10K JV	<u>.</u>	10K JV		(10K)	T	H	10K	T	1	10K JV	
製品記号	UEI	L	UELA	٨		UE			UEM		UE	В
呼び径	面間(mm)	価格	面間 (mm)	価格	面間(mi	n)	価格	面間(m	m)	価格	面間(mm)	価格
15 ¹ / ₂	54.0	15,800	54.0	22,400							85.0	41,600
20 3/4	58.0	19,200	58.0	26,400							95.0 ●	46,000
25 1	65.0	23,300	65.0	32,300							100.0	60,200
32 1 ¹ / ₄	74.0	31,300	74.0	44,500							110.0	71,300
40 11/2	78.0	46,000	78.0	64,600							125.0 ●	89,000
50 2	87.0	55,200	87.0	77,500							140.0 ●	114,000
65 2 ¹ / ₂					115.0	*	0	115.0	*	0	170.0	192,000
80 3					130.0	*	0	130.0	*	0	190.0	253,000
100 4					155.0		0	155.0		0		
備考	JV8-1相当 RoHS指令相当品		JV8-1相当 RoHS指令相当品		*:RoHS	指令相当品]	* : RoHS	指令相当品		●: JV8-1相当 RoHS指令相当品	

■Bシリーズ 5K/10K

B20-X 3K/10K											
名 称	ゲート《SCS14A》		グローブ《SC	S13A》	グローブ《SC	S13A》	グローブ《S	CS13A》	グローブ《SO	CS14A》	
外観	観		5K	. I	10K	. Ā	10K JV	•	10K JV		
製品記号	UEB	M	UAB		UCL		UJ		ULU	٨	
呼び径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	
8 1/4					44.0	9,420					
10 3/8			73.0	27,000	48.0	9,670	55.0	14,200	55.0	20,100	
15 ¹ / ₂			85.0	30,000	52.0	9,810	65.0 ●	14,500	65.0 ●	20,500	
20 3/4			95.0	32,600	60.0	12,500	80.0 ●	17,800	80.0 ●	24,800	
25 1	100.0 ●	84,300	108.0	45,800	72.0	17,300	90.0 ●	24,700	90.0 ●	34,400	
32 11/4	110.0	99,600	120.0	58,100	80.0	25,200	105.0 ●	31,900	105.0 ●	44,600	
40 11/2	125.0 ●	127,000	135.0	67,000	90.0	32,400	120.0 ●	46,500	120.0 ●	65,100	
50 2	140.0 ●	161,000	155.0	87,500	100.0	42,100	140.0	67,000	140.0 ●	94,600	
65 2 ¹ / ₂	170.0	273,000					180.0	146,000	180.0	200,000	
80 3	190.0	358,000					200.0	203,000	200.0	277,000	
備考	●: JV8-1相当 RoHS指令相当品		RoHS指令相当品		RoHS指令相当品		●: JV8-1相当 RoHS指令相当品		●: JV8-1相当 RoHS指令相当品		

SUS1 82

●: JV8-1相当

RoHS指令相当品

Bシリーズ 5K/10K グローブ《SCS13A》 グローブ《SCS13<u>A》</u> グローブ《SCS14A》 グローブ《SCS13A》 グローブ《SCS14A》 10K 10K 10K 10K 10K JV (V) 外 観 製品記号 **UJB UCB UJBM** UD **UDM** 価格 価格 価格 価格 価格 10 3/8 73.0 28,400 85.0 36,800 85.0 51,200 55.0 18,600 55.0 26,000 15 1/2 85.0 30,700 85.0 38,700 85.0 54,300 65.0 19,600 65.0 27,500 20 3/4 95.0 34,300 95.0 44,600 95.0 62,500 80.0 23,400 80.0 32,400 25 108.0 48,300 110.0 65,700 110.0 91,500 90.0 31,200 90.0 43,600 32 11/4 120.0 63,200 130.0 80,700 130.0 115,000 105.0 36,200 105.0 51,200 • 40 $1^{1}/_{2}$ 77,200 91,200 129,000 56,500 78,900 150.0 150.0 135.0 120.0 120.0 2 96,300 180.0 119,000 169,000 75,900 107,000 50 180.0 • 140.0 155.0 140.0 65 21/2 210.0 253,000 210.0 181,000

240.0

*:RoHS指令相当品

326,000

●: JV8-1相当

RoHS指令相当品

234,000

240.0

*:RoHS指令相当品

■Bシリーズ 5K/10K

RoHS指令相当品

80

備考

R R >	ノリ・	一人 51	\ / I	UK								
名:	称	グローブ《SCS13A》		グローブ《	SCS14A》	リフトチャッキ	《SCS13A》	スイングチャッ	‡《SCS13A》	スイングチャッキ	F《SCS14A》	
外:	観	10K		10K		10K JV 10K JV						
製品記	号		UD	В	UD	ВМ	1U	1	UC)	UO	M
呼び	径	面間(mr	n)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
10	3/8						55.0	14,000				
15	1/2	85.0	*	40,700	85.0 *	0	65.0 ●	14,300	65.0 ●	15,400	65.0 ●	21,800
20	3/4	95.0	*	50,600	95.0 *	0	80.0	17,400	80.0	17,300	80.0	24,500
25	1	110.0	*	73,000	110.0 *	0	90.0	21,800	90.0	22,200	90.0	30,700
32	11/4	130.0	*	88,300	130.0 *	0	105.0 ●	30,100	105.0 ●	28,300	105.0 ●	39,300
40	11/2	150.0	*	102,000	150.0 *	0	120.0	42,100	120.0	41,400	120.0	57,800
50	2	180.0	*	128,000	180.0 *	0	140.0	64,000	140.0	65,800	140.0	92,200
65	21/2	210.0		214,000	210.0	0			180.0	96,700	180.0	138,000
80	3	240.0		258,000	240.0	0			200.0	151,000	200.0	213,000
備老	Š.	* : RoHS	指令框	当出品	*:RoHS指令	目当品	●: JV8-1適合 RoHS指令相当品	1	●: JV8-1相当 RoHS指令相当品		●: JV8-1相当 RoHS指令相当品	

■Kシリーズ 5K/10K

	7.5	_	_								
名	称	ゲート《SCS13A》		ゲート《	《SCS13A》	ボールチャッキ	SCS13A	ボールチャッ	≠《SCS13A》	ボールチャッキ《SCS13』	
外観		5K		10K		10K		10К		10UFT	
製品記	製品記号 5UMK		MK	10	UMK	UF	TE	10	UFTE	100	JFT
呼び	径	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間 (mm)	価格
32	11/4					105.0	48,900				
40	11/2									190.0	120,000
50	2							200.0	143,000	200.0	134,000
65	21/2	170.0	149,000	190.0	158,000			220.0	216,000	220.0	201,000
80	3	180.0	173,000	200.0	181,000			240.0	249,000	240.0	230,000
100	4	200.0	214,000	230.0	253,000			290.0	330,000	290.0	305,000
125	5	220.0	285,000	250.0	330,000						
150	6	240.0	388,000	270.0	412,000			410.0	612,000	410.0	572,000
200	8	260.0	795,000	290.0	823,000			500.0	1,092,000		
備	考					垂直配管用		水平・垂直配管		垂直配管用	

■Aシリーズ 10K

名	称	ゲート《SCS13A》		ゲート	《SCS14A》	ゲート	《SCS16A》	グロー	ブ《SCS13A》	グローブ	グローブ《SCS14A》		
外	観	10K JV				10K JV		10K JV					
製品記	記号	10UMA	/ 10UMAT	10UMAM	/ 10UMAMT	10UMAO	/ 10UMAOT	10UPA / 1	OUPAT / G-10UPA	10UPAM / 10U	PAMT / G-10UPAM		
呼び	径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm	価格	面間 (mm)	価格		
15	1/2	108.0	89,600	108.0	127,000	108.0	154,000	108.0	• 76,300	108.0	107,000		
20	3/4	117.0	92,800	117.0	131,000	117.0	161,000	117.0	• 83,100	117.0	117,000		
25	1	127.0 ●	115,000	127.0	163,000	127.0	198,000	127.0	• 91,200	127.0	129,000		
32	11/4	140.0	131,000	140.0	185,000	140.0	228,000	140.0	• 104,000	140.0	148,000		
40	11/2	165.0 ●	142,000	165.0	200,000	165.0	241,000	165.0	• 121,000	165.0	170,000		
50	2	178.0 ●	170,000	178.0	238,000	178.0	288,000	203.0	• 146,000	203.0	208,000		
65	21/2	190.0 ●		190.0	237,000	190.0	360,000	216.0	• 206,000				
80	3	203.0	266,000	203.0	369,000	203.0	450,000	241.0	• 249,000	241.0	348,000		
100	4	229.0 ●		229.0	468,000	229.0	566,000	292.0	• 325,000		453,000		
125	5	254.0 ●		254.0	, 20,000	254.0	872,000	356.0	• 516,000		, _ ,,,,,,,		
150	6	267.0 ●	015,000	267.0	908,000	267.0	1,100,000	406.0	• 748,000		1,047,000		
200	8	292.0 ●	1,148,000	292.0	1,605,000	292.0	1,954,000	495.0	• 1,424,000		1,995,000		
250	10		1,747,000		2,445,000	330.0	2,968,000	622.0	G ©	622.0 G			
300	12		2,416,000		3,381,000	356.0	4,102,000	698.0	G ©	698.0 G	©		
350	14	381.0	<u>©</u>	381.0	<u>©</u>	381.0	©						
400	16	406.0	<u>©</u>	406.0	<u>©</u>	406.0	©						
450	18	432.0	<u>©</u>	432.0	<u> </u>	432.0	©						
500	20	457.0	0	457.0	©	457.0	©						
600	24	508.0	<u>_</u>	508.0	<u> </u>	508.0	©			<u> </u>			
備	考 	●:JV8-1適f	<u> </u>	●: JV8-1適	i合 	10UMAOT	: 15~300 [^]	●: JV8-1; 10UPAT:		●: JV8-1適行 10UPAMT: 7			

SUS5 86

Aシリーズ 10K グローブ《SCS13A》 グローブ《SCS16A》 グローブ《SCS14A》 リフトチャッキ《SCS13A》 リフトチャッキ《SCS14A》 10K 10K 10K 10K 10K JV 外 観 10UPAO / 10UPAOT / G-10UPAO 10UPDA / G-10UPDA 10UPDAM / G-10UPDAM 製品記号 価格 価格 価格 価格 1/2 108.0 130,000 108.0 78,700 108.0 110,000 108.0 62,900 108.0 88,200 • 20 3/4 117.0 143,000 117.0 88,800 117.0 • 126,000 117.0 70,600 117.0 98,600 25 127.0 157,000 127.0 96,300 127.0 137,000 127.0 85,800 127.0 121,000 • 32 11/4 180,000 113,000 • 161,000 104,000 146,000 140.0 140.0 140.0 140.0 140.0 40 $1^{1}/_{2}$ 209,000 125,000 175,000 110,000 157,000 165.0 165.0 • 165.0 165.0 165.0 50 2 250,000 158,000 227,000 203.0 203.0 203.0 21/2 346,000 216.0 226,000 303,000 65 216.0 216.0 80 422,000 270,000 398,000 3 241.0 241.0 241.0 4 100 548,000 350,000 494,000 2920 2920 2920 125 877,000 555,000 777,000 356.0 356.0 356.0 406.0 • 1,111,000 150 6 406.0 1,269,000 406.0 795,000 495.0 200 8 495.0 • 2,082,000 495.0 2,419,000 1,487,000 • 250 10 622.0 622.0 \bigcirc 622.0 G 0 G \bigcirc 備考 10UPAOT: 15~200 ●: JV8-1相当 ●: JV8-1相当 JV8-1適合 JV8-1適合

Aシリーズ 10K スイングチャッキ《SCS13A》 スイングチャッキ《SCS14A》 スイングチャッキ《SCS16A》 Y形ストレーナ《SCS13A》 リフトチャッキ《SCS16A》

X 1 2 2 2 1 7 1 (3 C3 1 4 A)	X 1 Z Z Z Y Z Y N SCS TOPY	1/1/X1 D 7 (30313/K)
10K JV	10K	10K JV
10UOAM / 10UOAMT	10UOAO / 10UOAOT	10UYA

yr eg											
製品記号	10UNAO /	10UNAOT	10UOA	/ 10UOAT	10UOAM	/ 10UOAMT	10UOAO	/ 10UOAOT	10	DUYA	
呼び径	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	
15 ¹ /2	108.0	107,000									
20 3/4	117.0	128,000									
25 1	127.0	148,000									
32 11/4	140.0	179,000									
40 11/2	165.0	192,000	165.0 ●	127,000	165.0 ●	179,000	165.0	216,000			
50 2	2		203.0	149,000	203.0	211,000	203.0	255,000			
65 21/2	2		216.0 ●	227,000	216.0	315,000	216.0	380,000	270.0	240,000	
80 3	3		241.0	262,000	241.0 •	367,000	241.0	444,000	290.0	282,000	
100 4	ļ		292.0 ●	349,000	292.0 ●	488,000	292.0	590,000	350.0	407,000	
125 5	5		330.0	505,000	330.0 ●	710,000	330.0	858,000	390.0	605,000	
150 6	5.		356.0 ●	647,000	356.0 ●	902,000	356.0	1,094,000	440.0	803,000	
200 8	3		495.0 ●	1,137,000	495.0 ●	1,588,000	495.0	1,930,000	540.0	1,303,000	
250 10)		622.0 ●	1,837,000	622.0 ●	2,572,000	622.0	3,122,000	760.0	2,456,000	
300 12	2		698.0 ●	2,768,000	698.0 ●	3,872,000	698.0	4,699,000	870.0	3,029,000	
350 14	<u> </u>		787.0	0	787.0	0	787.0	0			
400 16	5		864.0	0	864.0	0	864.0	0			
450 18	3		978.0	0	978.0	0					
500 20)		978.0	0	978.0	0					
600 24	<u> </u>		1295.0	0	1295.0	0					
備考	•		●: JV8-1適合		●: JV8-1適台 10UOAMT:	_	10UOAOT: 40~350 ^A スクリーン: 304ステンレ			ス板で補強された	


内網40メッシュステンレス鋼線網

JV8-2相当

Aシリーズ 10K



■Aシリーズ 20K



SUS7 88

■ボールバルブ ねじ込み形

が一がパルン ねびためが											
名 称	ボール《SC	CS13A》	ボール《	SCS14A》	ボール《	SCS13A》	ボール《S	SCS14A》	ボール《S	CS13A》	
外観	初		JV Li-		600型		600型		600型 ———		
製品記号	10UT		10	UTM	U	TK	UT	KM	UTKW		
呼び径	面間(mm)	価格	面間 (mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	
8 1/4					39.0	4,580	39.0	5,660	39.0	4,580	
10 ³ / ₈	62.0	18,700	62.0	26,300	44.0	4,820	44.0	6,000	44.0	4,820	
15 1/2	65.0 ●	20,000	65.0 ●	27,500	56.5	5,970	56.5	7,460	56.5	5,970	
20 3/4	80.0	24,200	80.0	33,700	59.0	6,870	59.0	8,630	59.0	6,870	
25 1	90.0	31,500	90.0	43,600	71.0	8,640	71.0	10,900	71.0	8,640	
32 11/4	110.0	44,700	110.0	62,500	78.0	15,100	78.0	18,700			
40 11/2	120.0	59,900	120.0	83,300	83.0	19,700	83.0	24,700			
50 2	140.0	75,900	140.0	107,000	100.0	27,000	100.0	33,700			
65 21/2	160.0	124,000	160.0	173,000							
80 3	182.0	165,000	182.0	230,000							
備考	ボア径: フルボフ ●: JV8-1相当	7	ボア径:フル7 ●:JV8-1相		ボア径:レデコ RoHS指令相当		ボア径:レデュ RoHS指令相当		ボア径:レデュ RoHS指令相当5		

■ボールバルブ ねじ込み形

1 *1	パールバルン・1などとのパン											
名 称	ボール《S	CS14A》	ボール《SCS		ボール《SC	514A》	ボール《SCS	513A》	ボール《SC	CS14A》		
	600型		600型		600型	800型 JV			800型 JV			
外観				jii .								
製品記号	UTK	MW	UTFK	W	UTFKMW		UTFZ	<u> </u>	UTHM			
呼び径	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格	面間(mm)	価格		
8 1/2	39.0	5,660										
10 ³ /8	44.0	6,000					58.0	9,440				
15 ¹ / ₂	56.5	7,460	62.0	10,100	62.0	17,200	62.0 ●	10,100	60.0	10,800		
20 3/4	59.0	8,630	73.0	11,900	73.0	20,000	73.0 ●	11,900	70.0	12,700		
25 1	71.0	10,900	85.0	16,900	85.0	28,300	85.0 ●	16,900	80.0	17,800		
32 1 ¹ / ₄							98.0 ●	25,200	95.0	27,000		
40 11/2							108.0 ●	32,700	108.0	34,500		
50 2							124.0 ●	44,800		48,000		
備考	ボア径: レデュ RoHS指令相当5		ボア径:フルボア RoHS指令相当品		ボア径:フルボア		ボア径:フルボア ●JV8-1相当		ボア径: レデュ- RoHS指令相当品 JV8-1相当			

SUS25 106