



NY式ポリジョイント

品名 寸法	内ネジ			品名 寸法	外ネジ	オネジ	メネジ
							
13	3,000	P13×M20	4,600	13	3,000	2,600	2,600
20	3,800	P50×M40	16,010	20	3,800	3,300	3,300
25	5,100			25	5,100	4,920	4,920
30	8,200			30	8,200	8,970	8,970
40	11,000			40	12,120	11,020	11,020
50	16,010			50	15,840	15,550	15,550




品名 寸法	ソケット						
							
13	4,300	20 × 13	4,910	40 × 13	11,450	50 × 13	16,520
20	5,110	25 × 13	6,300	40 × 20	12,260	50 × 20	17,460
25	7,320	25 × 20	6,780	40 × 25	12,980	50 × 25	18,410
30	13,920	30 × 13	8,700	40 × 30	15,460	50 × 30	20,000
40	17,510	30 × 20	9,710			50 × 40	22,500
50	25,860	30 × 25	10,970				

品名 寸法	チーズ						
							
13	6,380	20 × 13	7,540	40 × 13	19,140	50 × 13	27,140
20	8,700	25 × 13	8,780	40 × 20	19,890	50 × 20	27,960
25	10,320	25 × 20	10,650	40 × 25	21,060	50 × 25	29,490
30	19,680	30 × 13	15,090	40 × 30	25,280	50 × 30	32,050
40	26,330	30 × 20	15,890			50 × 40	34,100
50	36,900	30 × 25	17,170				



NY式ポリジョイント





品名 寸法	エルボ	品名 寸法	ユニオンソケット		
					
13	4,880	13	4,870	P20 × M13	6,100
20	6,100	20	6,380	P20 × M25	8,700
25	8,810	25	8,810	P25 × M20	8,700
30	14,400	30	15,660		
40	19,600	40	22,390		
50	27,490	50	25,750		

品名 寸法	分水曲管 60°	品名 寸法	分水曲管 90°	品名 寸法	ロング曲管 60°	ロング曲管 90°
						
13	5,680	13	5,680	13	6,610	6,610
20	7,590	20	7,590	20	8,700	9,740
25	12,180	25	12,180	25	13,460	13,570
P20 × M25	12,180	P20 × M13	7,590	P20 × M13	8,460	8,460
				P25 × M13	13,000	13,000
				P25 × M20	13,570	13,570


品名 寸法	給水栓 曲ソケット	パイプエンド	パイプエンド (砲金P)
			
13	5,600	3,840	3,960
20	6,430	4,800	5,160
25	————	6,600	7,320
30	————	11,040	11,760
40	————	14,400	15,720
50	————	20,040	21,360


NY式ジョイント

品名 寸法	伸縮ポリユニオン継手			品名 寸法	伸縮式ユニオン継手 (オネジ)	伸縮式ユニオン継手 (平行ネジ)
						
13	5,520	50 × 40	35,040	13	4,200	—————
20	7,800			20	6,240	—————
25	11,400			25	9,840	—————
30	19,320			30	15,600	—————
40	24,960			40	20,280	21,960
50	37,440			50	47,280	—————







品名 寸法	フランジ付 伸縮ポリ ユニオン継手	合フランジ付 Pソケット (10K)	伸縮式 ユニオン継手 (片フランジ式)	伸縮式 ユニオン継手 (両フランジ式)
				
50	44,040	38,640	48,240	—————
75	—————	—————	131,400	142,560
100	—————	—————	184,080	196,560



NY式ジョイント

品名 寸法	PVソケット				
					
13	5,280	P13 × V16	5,280	P50 × V40	24,000
20	6,000	P20 × V13	5,880		
25	8,280	P20 × V16	5,880		
30	14,880	P25 × V20	8,280		
40	19,080	P50 × V20	18,960		
50	28,090	P50 × V25	20,040		

品名 寸法	PVエルボ			品名 寸法	PVチーズ
					
13	6,360	P13 × V16	6,360	25	11,280
20	7,320			P20 × V25	11,280
25	10,200			50	43,800
30	15,840				
40	21,960				
50	31,200				

NY式ジョイント

品名	VVソケット	VVエルボ	V用メネジ	V用オネジ	V用パイプエンド	V用パイプエンド (砲金P)
寸法						
13	5,040	6,000	3,120	————	4,320	4,440
20	5,640	7,080	3,480	4,440	5,760	6,120
25	8,280	9,840	4,680	7,440	6,960	7,560
30	14,280	15,840	8,760	————	11,400	12,240
40	19,800	23,640	12,240	————	15,000	16,320
50	31,690	33,830	17,040	17,040	20,520	21,840

品名	V用内ネジ	品名	V用ユニオン ソケット
寸法		寸法	
13	————	13	5,880
20	————	20	7,920
25	————	V20 × M13	6,600
30	————	25	11,160
40	————		
50	19,200		

NY式ポリジョイントH型（耐震継手） ※耐震コア入り

※耐震コア別売り可

品名 寸法	内ネジ			品名 寸法	外ネジ	オネジ	メネジ	
	品名	寸法	価格		品名	寸法	価格	品名
13	3,810	P13×M20	5,410	13	3,810	3,410	3,410	
20	4,720	P50×M40	18,890	20	4,720	4,220	4,220	
25	6,370			25	6,370	6,190	6,190	
30	9,930			30	9,930	10,700	10,700	
40	13,070			40	14,190	13,090	13,090	
50	18,890			50	18,720	18,430	18,430	

品名 寸法	ソケット							
	品名	寸法	価格	品名	寸法	価格	品名	寸法
13	5,920	20 × 13	6,640	40 × 13	14,330	50 × 13	20,210	
20	6,950	25 × 13	8,380	40 × 20	15,250	50 × 20	21,260	
25	9,860	25 × 20	8,970	40 × 25	16,320	50 × 25	22,560	
30	17,380	30 × 13	11,240	40 × 30	19,260	50 × 30	24,610	
40	21,650	30 × 20	12,360			50 × 40	27,450	
50	31,620	30 × 25	13,970					




品名 寸法	チーズ							
	品名	寸法	価格	品名	寸法	価格	品名	寸法
13	8,810	20 × 13	10,190	40 × 13	24,090	50 × 13	33,710	
20	11,460	25 × 13	12,130	40 × 20	24,950	50 × 20	34,640	
25	14,130	25 × 20	14,110	40 × 25	26,470	50 × 25	36,520	
30	24,870	30 × 13	19,360	40 × 30	31,150	50 × 30	39,540	
40	32,540	30 × 20	20,270			50 × 40	41,930	
50	45,540	30 × 25	21,900					

NY式ポリジョイントH型 (耐震継手) ※耐震コア入り

※耐震コア別売り可


品名	エルボ	品名	ユニオンソケット			品名	分水曲管 60°
寸法		寸法				寸法	
13	6,500	13	5,680	P20 × M13	7,020	13	6,490
20	7,940	20	7,300	P20 × M25	9,620	20	8,510
25	11,350	25	10,080	P25 × M20	9,970	25	13,450
30	17,860	30	17,390			P20 × M25	13,100
40	23,740	40	24,460				
50	33,250	50	28,630				



品名	分水曲管 90°	品名	ロング曲管 60°	ロング曲管 90°	品名	給水栓 曲ソケット
寸法		寸法			寸法	
13	6,490	13	7,420	7,420	13	6,410
20	8,510	20	9,620	10,660	20	7,350
25	13,450	25	14,730	14,840	25	————
P20 × M13	8,510	P20 × M13	9,380	9,380	30	————
		P25 × M13	14,270	14,270	40	————
		P25 × M20	14,840	14,840	50	————

品名	パイプエンド	パイプエンド (砲金P)	品名	伸縮ポリユニオン継手		
寸法			寸法			
13	4,650	4,770	13	6,330	50 × 40	37,920
20	5,720	6,080	20	8,720		
25	7,870	8,590	25	12,670		
30	12,770	13,490	30	21,050		
40	16,470	17,790	40	27,030		
50	22,920	24,240	50	40,320		

NY式ポリジョイントH型（耐震継手） ※耐震コア入り



※耐震コア別売り可



品名 寸法	PVソケット				
					
13	6,090	P13 × V16	6,090	P50 × V40	26,880
20	6,920	P20 × V13	6,800		
25	9,550	P20 × V16	6,800		
30	16,610	P25 × V20	9,550		
40	21,150	P50 × V20	21,840		
50	30,970	P50 × V25	22,920		

品名 寸法	PVエルボ			品名 寸法	PVチーズ	
						
13	7,170	P13 × V16	7,170	25	12,550	
20	8,240			P20 × V25	12,200	
25	11,470			50	46,680	
30	17,570					
40	24,030					
50	34,080					



部品


品名 寸法	耐震コア
	
13	810
20	920
25	1,270
30	1,730
40	2,070
50	2,880



品名	NY 式ダブル弁止水栓 (コック式)	NY 式ダブル弁止水栓 (コック式) ※ビニル管用シモク付
寸法		
13	12,500	13,700
20	18,700	20,200
20 × 13	18,700	20,200
25	26,300	28,500
40	104,800	109,200
50	173,000	180,000


品名	NY 式ダブル弁止水栓 (コック式) ※GPシモク付	NY 式ダブル弁止水栓 (コック式) ※フランジ付
寸法		
13	14,500	————
20	21,500	————
20 × 13	21,500	————
25	30,600	————
40	113,100	————
50	186,800	191,800



止水栓



品名	NY 式ダブル弁止水栓 (ボール式)	NY 式ダブル弁止水栓 (ボール式) ※ビニル管用シモク付
寸法		
13	15,200	16,400
20	22,100	23,600
25	29,300	31,500


品名	NY 式ダブル弁止水栓 (ボール式) ※GP シモク付
寸法	
13	17,200
20	24,900
25	33,600

品名	NY 式ダブル弁止水栓 (ボール式L型)	NY 式ダブル弁止水栓 (ボール式L型) ※ビニル管用シモク付
寸法		
13	15,200	16,400
20	22,100	23,600
25	29,300	31,500




品名	NY 式ダブル弁止水栓 (ボール式L型) ※GP シモク付
寸法	
13	17,200
20	24,900
25	33,600




品名	甲止水栓	甲止水栓 (ビニル管用シモク付)
寸法		
13	5,400	7,800
20	8,000	11,000
25	11,300	15,700
30	28,500	35,100
40	38,500	47,300
50	59,700	73,700




品名	甲止水栓 (GPシモク付)	伸縮式直結メーター止水栓 (本管側用)
寸法		
13	9,400	8,100
20	13,600	11,800
25	19,900	16,800
30	42,700	38,400
40	55,100	52,100
50	87,300	80,900

品名	伸縮式直結メーター止水栓 (家庭側用)
寸法	
13	8,100
20	11,800
25	16,800
30	38,400
40	52,100
50	80,900

止水栓

品名	乙型ボール止水栓	乙型ボール止水栓 ※ビニル管用シモク付	乙型ボール止水栓 ※GPシモク付
寸法			
13	8,400	10,600	11,400
20	13,200	16,300	17,500
25	17,100	21,300	23,400

品名	伸縮式ボール止水栓	伸縮式ボール止水栓 ※ビニル管用シモク付	伸縮式ボール止水栓 ※GPシモク付
寸法			
13	10,100	11,300	12,100
20	15,900	17,500	18,700
20 × 13	15,900	17,500	18,700
25	21,500	23,700	25,800

品名	伸縮式ボール止水栓（盗水防止型）	伸縮式ボール止水栓（盗水防止型） ※ビニル管用シモク付	伸縮式ボール止水栓（盗水防止型） ※GPシモク付
寸法			
13	10,100	11,300	12,100
20	15,900	17,500	18,700
20 × 13	15,900	17,500	18,700
25	21,500	23,700	25,800


品名 寸法	伸縮部 (止水栓用)			品名 寸法	伸縮部 (止水栓用) ※フランジ型
	13	2,700	30		9,900
20	3,800	40	13,600		
20 × 13		50	21,200		
25	5,500				
25 × 13					
25 × 20					

品名 寸法	止水栓上部 (丸型) ※取付パッキン付	止水栓上部 (蝶型) ※取付パッキン付	止水栓上部 (協会型) ※取付パッキン付	止水栓用 ハンドル (丸型)	止水栓用 ハンドル (蝶型)	ケレップ
	13	2,300			1,000	
20	3,300			1,000		700
25	4,800			1,000		1,000
30	16,000			2,700		6,200
40	19,500			3,400		7,500
50	24,900			4,300		9,400

品名 寸法	鉄管用シモク ※パッキン付	ビニル保護用 ナット	ビニル管用シモク ※保護ナット パッキン付	袋ナット	ビニル管用シモク ※袋ナット パッキン付	ダブル弁用 ハンドル
	13	2,000	1,000	1,200	1,000	1,200
20	2,800	1,500	1,600	1,400	1,500	1,500
25	4,300	2,000	2,200	2,000	2,200	
30	7,100	3,800	4,100	2,800	3,300	—
40	8,300	4,600	5,100	3,800	4,400	16,500
50	13,800	7,400	8,000	5,800	7,000	

部品・付属品類

品名	メーター パッキン	メーター パッキン (布入り)	リングパッキン	V用 リングパッキン
寸法				
13	70	70	190	190
20	90	90	220	220
25	100	100	280	280
30	140	140	300	300
40	180	180	370	370
50	270	270	560	560

品名	メーター用 ブッシング
寸法	
20 × 13	1,800
25 × 13	2,600