





lm は「塩化ビニル管・継手協会」規格品です。

JIS は「日本下水道協会」規格品です。





Mコードは当社製品お申し込み番号です。

合流点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
45度合流 M-45Y 	M-45Y兼100-100	6	¥ 4,030	重:40073	53	
	M-45Y左右100×75-150	4	¥ 5,180	左:40076 右:40077	60	lm
	M-45Y左右100-150	4	¥ 5,180	左:40078 右:40079	60	lm
	M-45Y左右100-200	4	¥ 7,250	左:49730 右:49731	92	lm
	M-45Y左右100-300	1	¥14,700	左:41223 右:41224	105	
	M-45Y左右125×100-150	4	¥ 9,660	左:41320 右:41321	113	
	M-45Y左右125-150	4	¥ 9,660	左:41322 右:41323	113	
	M-45Y左右125×100-200	2	¥10,500	左:41447 右:41448	119	
	M-45Y左右125-200	2	¥10,500	左:41449 右:41450	119	lm
	M-45Y左右125-300	1	¥20,000	左:41566 右:41567	128	
	M-45Y左右150-150	2	¥13,300	左:41631 右:41632	133	
	M-45Y左右150×100-200	2	¥14,400	左:41743 右:41744	139	
	M-45Y左右150-200	2	¥14,400	左:41745 右:41746	139	lm
	M-45Y左右150-300	1	¥26,600	左:41868 右:41869	152	
	M-45Y左右200-300	1	¥37,300	左:41919 右:41909	160	
45度合流段差付 M-45YS 	M-45YS左右100×75-150	4	¥ 5,180	左:40105 右:40106	60	
	M-45YS左右-H100-150	4	¥ 5,180	左:40107 右:40108	61	lm
	M-45YS左右100-150	4	¥ 5,180	左:40109 右:40110	61	lm
	M-45YS左右100-200	4	¥ 7,250	左:49732 右:49733	92	lm
	M-45YS左右100-300	1	¥14,700	左:41225 右:41226	105	
	M-45YS左右125×100-200	2	¥10,500	左:41451 右:41452	119	
	M-45YS左右125-200	2	¥10,500	左:41453 右:41454	120	
	M-45YS左右150-200	2	¥14,400	左:41749 右:41750	139	


形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
90度合流 M-90Y 	M-90Y左右75×50-100	4	¥ 3,800	左:49213 右:49214	52	
	M-90Y左右75-125	4	¥ 4,140	左:49218 右:49219	55	
	M-90Y兼100-100	6	¥ 4,830	重:49225	53	
	M-90Y左右100×75-150	4	¥ 5,180	左:40136 右:40137	61	lm
	M-90Y左右100-150	4	¥ 5,180	左:40163 右:40164	61	lm
	M-90Y左右100-200	4	¥ 7,250	左:49734 右:49735	92	lm
	M-90Y左右100-300	1	¥14,700	左:41227 右:41228	105	
	M-90Y左右125-150	4	¥ 9,660	左:41324 右:41325	113	
	M-90Y左右125×100-200	2	¥10,500	左:41455 右:41456	120	
	M-90Y左右125-200	2	¥10,500	左:41457 右:41458	120	lm
	M-90Y左右125-300	1	¥20,000	左:41568 右:41569	129	
	M-90Y左右兼150-150	2	¥13,300	左:41634 右:41635 重:41633	133	
	M-90Y左右150×100-200	2	¥14,400	左:41751 右:41752	140	
	M-90Y左右150-200	2	¥14,400	左:41753 右:41754	140	lm
	M-90Y左右150-300	1	¥26,600	左:41870 右:41871	152	
	M-90Y左右200×150-200	1	¥22,000	左:41957 右:41958	157	
	M-90Y左右200-200	2	¥23,900	左:41967 右:41968	157	
	M-90Y左右200-300	1	¥37,300	左:41920 右:41911	161	
90度合流段差付 M-90YS 	M-90YS左右100-150	4	¥ 5,180	左:40190 右:40191	61	
	M-90YS左右100-200	4	¥ 7,250	左:49736 右:49737	93	
	M-90YS左右150-200	2	¥14,400	左:41755 右:41756	140	

合流点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
45度左右 合流段差付 M-45WYS 	M-45WYS100-150	4	¥ 7,590	40232	62	
	M-45WYS150×100-150	2	¥33,200	41652	133	
MC-45WYS (宅内側キャップ付) 	MC-45WYS100-150	4	¥ 8,630	40545	62	
左45度・右45度 合流段差付 M-45WLS 	M-45WLS150-200F	1	¥78,500	41759	141	
左右合流段差付 M-WLS 	M-WLS100-150	4	¥ 5,180	40217	62	㎜
	M-WLS100-200	4	¥ 7,250	49738	93	㎜
	M-WLS100-300	1	¥14,700	41229	105	
	M-WLS125-150	2	¥ 9,660	41326	113	
	M-WLS125-200	2	¥10,500	41459	120	㎜
	M-WLS125-300	1	¥20,000	41570	129	
	M-WLS150-150	2	¥13,300	41636	133	
	M-WLS150-200	2	¥14,400	41758	141	㎜
	M-WLS150-300	1	¥26,600	41872	152	
	M-WLS200×150-200F	1	¥73,000	41961	157	
	M-WLS200-200F	1	¥75,400	41962	157	
	M-WLS200-300	1	¥37,300	41913	161	
90度左右 合流段差付 M-90WYS 	M-90WYS150-200	2	¥17,900	41757	141	
MC-90WYS (宅内側キャップ付) 	MC-90WYS150-200	2	¥21,900	41785	141	
90度2本合流 M-90YW	M-90YW _左 100×75-150	4	¥ 6,900	左:40539 右:40540	62	
	M-90YW _左 100×75-200	4	¥ 7,820	左:49783 右:49784	93	
45度・90度合流 M-YW	M-YW _左 125×100-200	4	¥16,800	左:41501 右:41502	120	
	M-YW _左 150×100-200	4	¥20,900	左:41833 右:41834	140	
	M-YW _左 150×125-200	2	¥25,100	左:41835 右:41836	140	




形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
45度・90度合流 段差付 M-YWS 	M-YWS _左 100×100×75-150	4	¥ 6,900	左:40541 右:40542	62	
	M-YWS _左 100-200	4	¥ 7,820	左:49778 右:49779	93	㎜
	M-YWS _左 125×100-200	2	¥16,800	左:41509 右:41510	121	
	M-YWS _左 150×100-200	2	¥20,900	左:41837 右:41838	141	

起点 (トラップ)

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
起点トラップ M-UTK  〈差口〉	M-UTK75×50P-125	4	¥ 6,790	49253	55	
	M-UTK75×75P-125	4	¥ 6,790	49254	55	
	M-UTK100×50P-150	4	¥ 7,820	40373	68	㎜
	M-UTK100×75P-150深型	4	¥ 7,820	40386	68	㎜
	M-UTK100×75P-150	4	¥ 7,820	40387	68	㎜
	M-UTK100×75P-200	4	¥ 9,550	49751	96	㎜
	M-UTK100×100P-150	4	¥ 8,740	40401	68	㎜
	M-UTK100×100P-200	4	¥ 9,550	49752	96	
	M-UTK100×75P-300	1	¥18,600	41236	108	
	M-UTK100×100P-300	1	¥18,600	41237	108	
	M-UTK125×75P-150	2	¥13,100	41335	114	
	M-UTK125×100P-150	2	¥13,100	41336	114	
〈受口〉  M-UT-CK (キャップ付) 	M-UTK100×50S-150	4	¥ 7,820	40374	67	㎜
	M-UTK100×75S-150深型	4	¥ 7,820	40391	67	㎜
	M-UTK100×75S-200	4	¥ 9,550	49750	96	㎜
	M-UTK100×100S-150	4	¥ 8,740	40400	67	㎜
	M-UT-CK125×75P-200	2	¥14,400	41476	124	
	M-UT-CK125×100P-200	2	¥14,400	41477	124	
	M-UT-CK150×75P-150	2	¥18,600	41645	135	
	M-UT-CK150×100P-150	2	¥18,600	41646	135	
	M-UT-CK150×75P-200	2	¥20,000	41776	145	
	M-UT-CK150×100P-200	2	¥20,000	41777	145	

ℓm は「塩化ビニル管・継手協会」規格品です。下 は「日本下水道協会」規格品です。Mコード は当社製品お申し込み番号です。



中間点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
ストレート M-ST 	M-ST75-125	4	¥ 3,450	49251	54	
	M-ST100-150	4	¥ 3,800	40324	58	ℓm
	M-ST100P×100-150	4	¥ 3,800	40558	58	
	M-ST100-200	4	¥ 5,980	49746	90	ℓm
	M-ST100-300	1	¥13,300	41234	104	
	M-ST100P×100-300	1	¥13,300	41235	104	
	M-ST125-150	4	¥ 8,050	41333	112	
	M-ST125P×125-150	4	¥ 8,050	41334	112	
	M-ST125-200	2	¥ 8,510	41466	118	ℓm
	M-ST125P×125-200	2	¥ 8,510	41467	118	
	M-ST125-300	1	¥17,400	41576	128	
	M-ST150-150	2	¥ 9,660	41643	132	
	M-ST150-200	2	¥11,600	41766	138	ℓm
	M-ST150P×150-200	2	¥11,600	41767	138	
	M-ST150×100-300	1	¥23,900	41877	150	
	M-ST150×125-300	1	¥23,900	41878	150	
	M-ST150-300	1	¥23,900	41879	150	
	M-ST200-200	2	¥20,000	41969	156	
	M-ST200-300	1	¥33,200	41901	160	
	M-ST200P×200-300	1	¥33,200	41902	160	
MC-ST (宅内側キャップ付) 	MC-ST100P×100-300	1	¥14,000	41244	104	
	MC-ST125×100-300	1	¥18,300	41581	128	
	MC-ST150×100-300	1	¥24,800	41884	150	
	MC-ST150×125-300	1	¥25,100	41886	150	
	MC-ST150-300	1	¥25,400	41888	151	
	MC-ST150P×100-300	1	¥24,800	41885	151	
	MC-ST150P×150-300	1	¥25,400	41889	151	
KM-S 	KM-S100P×100-200	4	¥ 6,330	49789	90	ℓm 下
首長ストレート M-STH 	M-STH100-150	4	¥ 5,640	40235	58	
	M-STH100-150 LBT75セット	4	¥ 7,020	40236	59	

屈曲点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
22½度曲り M-22½L 	M-22½L 左右兼 100-150	4	¥ 3,800	左:40319 右:40320 兼:40321	59	ℓm
	M-22½L 兼 100-200	4	¥ 5,980	重:49745	90	ℓm
	M-22½L 兼 125-200	2	¥ 8,510	重:40323	118	
	M-22½L 兼 150-200	2	¥11,600	40322	138	
45度曲り M-45L 	M-45L 兼 100-100	12	¥ 3,340	重:49248	53	
	M-45L 左右兼 75-125	4	¥ 3,450	左:49242 右:49243 兼:49244	54	
	M-45L 左右兼 100-150	4	¥ 3,800	左:40279 右:40280 兼:40281	59	ℓm
	M-45L 左右兼 100-200	4	¥ 5,980	左:49743 右:49742 兼:49744	91	ℓm
	M-45L 左右 100-300	1	¥13,300	左:41232 右:41233	104	
	M-45L 左右兼 125-150	4	¥ 8,050	左:41330 右:41331 兼:41332	112	
	M-45L 左右兼 125-200	2	¥ 8,510	左:41463 右:41464 兼:41465	118	ℓm
	M-45L 左右 125-300	1	¥17,400	左:41573 右:41574	128	
	M-45L 左右兼 150-150	2	¥ 9,660	左:41640 右:41641 兼:41642	132	
	M-45L 左右兼 150-200	2	¥11,600	左:41763 右:41764 兼:41765	138	ℓm
	M-45L 左右 150-300	1	¥23,900	左:41875 右:41876	152	
	M-45L 兼 200-200F	1	¥41,100	41964	156	
	M-45L 左右 200-300	1	¥33,200	左:41915 右:41916	160	
90度曲り M-90L 	M-90L 兼 75-100	4	¥ 3,110	重:49230	52	
	M-90L 左右兼 75-125	4	¥ 3,450	左:49233 右:49234 兼:49235	54	
	M-90L 兼 100-100	10	¥ 3,340	重:49239	53	
	M-90L 左右兼 100-150	4	¥ 3,800	左:40239 右:40240 兼:40241	59	ℓm
	M-90L 左右兼 100-200	4	¥ 5,980	左:49739 右:49740 兼:49741	91	ℓm
	M-90L 左右 100-300	1	¥13,300	左:41230 右:41231	104	
	M-90L 左右兼 125-150	4	¥ 8,050	左:41327 右:41328 兼:41329	112	
	M-90L 左右兼 125-200	2	¥ 8,510	左:41460 右:41461 兼:41462	118	ℓm
	M-90L 左右 125-300	1	¥17,400	左:41571 右:41572	128	
	M-90L 左右兼 150-150	2	¥ 9,660	左:41637 右:41638 兼:41639	132	
	M-90L 左右兼 150-200	2	¥11,600	左:41760 右:41761 兼:41762	138	ℓm
	M-90L 左右 150-300	1	¥23,900	左:41873 右:41874	152	
	M-90L 兼 200-200	1	¥20,000	41963	156	
45度・90度曲り 段差付 M-LWS 	M-LWS 左右 100-150	4	¥ 5,180	左:40543 右:40544	59	

合流点 (トラップ)




形状	品番	梱包数	設計価格	Mコード	掲載頁	規格
トラップ M-UT  <差口>	M-UT _左 兼 _右 100×50P-150	4	¥ 7,820	左:40423 右:40424 重:40425	71	㎜
	M-UT _左 兼 _右 100×75P-150	4	¥ 7,820	左:40450 右:40451 重:40452	71	㎜
	M-UT _左 兼 _右 100×100P-150	4	¥ 8,740	左:40494 右:40495	71	㎜
	M-UT _左 兼 _右 100×75P-200	4	¥ 9,550	左:49753 右:49754	98	㎜
	M-UT _左 兼 _右 100×100P-200	4	¥ 9,550	左:49757 右:49758 重:49762	98	㎜
 <受口>	M-UT兼75×50S-125	4	¥ 6,790	重:49257	56	
	M-UT兼75×75S-125	4	¥ 6,790	重:49260	56	
	M-UT _左 兼 _右 100×50S-150	4	¥ 7,820	左:40429 右:40430 重:40431	69	㎜
	M-UT _左 兼 _右 100×75S-150	4	¥ 7,820	左:40453 右:40454 重:40455	69	㎜
	M-UT _左 兼 _右 100×100S-150	4	¥ 8,740	左:40492 右:40493	69	㎜
	M-UT _左 兼 _右 100×75S-200	4	¥ 9,550	左:49755 右:49756	97	㎜
	M-UT _左 兼 _右 100×100S-200	4	¥ 9,550	左:49759 右:49760 重:49761	97	㎜
	M-UT _左 兼 _右 100×75S-300	1	¥ 18,600	左:41238 右:41239 重:41240	109	
	M-UT _左 兼 _右 100×100S-300	1	¥ 18,600	左:41241 右:41242 重:41243	109	
	M-UT _左 兼 _右 125×75S-150	2	¥ 13,100	左:41337 右:41338	115	
	M-UT _左 兼 _右 125×100S-150	2	¥ 13,100	左:41339 右:41340	115	
	M-UT _左 兼 _右 125×75S-200	2	¥ 14,400	左:41478 右:41479 重:41480	125	
	M-UT _左 兼 _右 125×100S-200	2	¥ 14,400	左:41481 右:41482 重:41483	125	
	M-UT _左 兼 _右 150×75S-150	2	¥ 18,600	左:41647 右:40499 重:41648	135	
	M-UT _左 兼 _右 150×100S-150	2	¥ 18,600	左:41649 右:41650 重:41651	135	
	M-UT _左 兼 _右 150×75S-200	2	¥ 20,000	左:41778 右:41779 重:41780	145	
	M-UT _左 兼 _右 150×100S-200	2	¥ 20,000	左:41781 右:41782 重:41783	145	

形状	品番	梱包数	設計価格	Mコード	掲載頁	規格
45度曲り・ トラップ付 M-UT-45L 	M-UT-45L _左 兼 _右 100×50S-150	4	¥ 7,820	左:40524 右:40525	70	
	M-UT-45L _左 兼 _右 100×50P-150	4	¥ 7,820	左:40522 右:40523	72	
	M-UT-45L _左 兼 _右 100×75S-150	4	¥ 7,820	左:40529 右:40530 重:40531	70	
	M-UT-45L _左 兼 _右 100×75P-150	4	¥ 7,820	左:40526 右:40527 重:40528	72	
	M-OUT-45L _左 兼 _右 100×75P-150	4	¥ 8,400	左:40534 右:40535 重:40536	73	
90度曲り・ トラップ付 M-UT-L 	M-UT-L _左 兼 _右 100×50S-150	4	¥ 7,820	左:40505 右:40506 重:40507	70	㎜
	M-UT-L _左 兼 _右 100×50P-150	4	¥ 7,820	左:40502 右:40503 重:40504	72	㎜
	M-UT-L _左 兼 _右 100×75S-150	4	¥ 7,820	左:40513 右:40514 重:40515	70	㎜
	M-UT-L _左 兼 _右 100×75P-150	4	¥ 7,820	左:40510 右:40511 重:40512	72	㎜
	M-UT-L兼100×100P-200	4	¥ 9,550	重:49769	98	
90度曲り・ 外側トラップ付 M-OUT-L 	M-OUT-L _左 兼 _右 100×75P-150	4	¥ 8,400	左:40518 右:40519	73	
	M-OUT-L兼100×100P-200	4	¥ 15,400	重:49777	99	


ℓm は「塩化ビニル管・継手協会」規格品です。㏍ は「日本下水道協会」規格品です。Mコード は当社製品お申し込み番号です。

落差点 (ドロップ)


形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
ドロップ M-DR 	M-DR100-150	4	¥ 4,370	40341	64	ℓm
	M-DR100PX100-150	4	¥ 4,260	40343	65	
	M-DR100-200	2	¥ 6,560	49747	94	ℓm
	M-DR125-200	2	¥ 10,600	41468	122	ℓm
	M-DR150-200	2	¥ 11,600	41768	142	ℓm
	M-DR125-300	1	¥ 17,400	41577	129	
	M-DR150-300	1	¥ 23,900	41880	153	
MC-DR (宅内側キャップ付) 	MC-DR100-200	2	¥ 7,360	49780	95	ℓm
KM-DRS 	KM-DRS125S×100-200	2	¥ 9,740	48201	121	ℓm ㏍
	KM-DRS150S×100-200	2	¥ 11,100	48202	142	ℓm ㏍
	KM-DRS150PX100-200	2	¥ 11,100	48203	144	ℓm ㏍
	KM-DRS100S×100-300	1	¥ 13,900	43446	106	
KMC-DRS (宅内側キャップ付) 	KMC-DRS125S×100-200	2	¥ 10,500	48206	123	ℓm ㏍
	KMC-DRS150S×100-200	2	¥ 11,800	48207	143	ℓm ㏍
	KMC-DRS150PX100-200	2	¥ 11,800	48208	144	ℓm ㏍

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
90度合流ドロップ M-DRY 	M-DRY㏍100×75-150	4	¥ 5,180	㏍:40357 ㏍:40358	63	
	M-DRY100-150	4	¥ 5,180	40359	64	ℓm
	M-DRY100PX100-150	4	¥ 5,180	40360	65	
	M-DRY㏍100-200	2	¥ 7,820	㏍:49748 ㏍:49749	94	ℓm
	M-DRY㏍125×100-200	2	¥ 11,500	㏍:41470 ㏍:41471	121	
	M-DRY125-200	2	¥ 11,500	41472	122	
	M-DRY㏍150×100-200	2	¥ 11,500	㏍:41769 ㏍:41770	142	
	M-DRY㏍150-200	2	¥ 15,400	㏍:41773 ㏍:41774	143	ℓm
	M-DRY150-300	1	¥ 26,600	41881	153	
KM-DRY 	KM-DRY100S×100-300	1	¥ 16,400	43455	107	
	KM-DRY100PX100-300	1	¥ 16,400	43454	107	
90度左右合流 ドロップ M-DR90WY 	M-DR90WY100×75-150	4	¥ 5,870	40363	63	
	M-DR90WY100-150	4	¥ 5,870	40364	64	
	M-DR90WY100PX100-150	4	¥ 5,870	40365	65	
	M-DR90WY125-200	2	¥ 13,100	41473	122	
	M-DR90WY150-200	2	¥ 19,400	41775	143	
	M-DR90WY150-300	1	¥ 31,100	41882	153	

落差点 (ドロップ)







形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
MC-DR90WY (宅内側キャップ付) 	MC-DR90WY150×100-150	2	¥12,400	41653	134	
	MC-DR90WY150-200	2	¥20,700	41793	143	
KM-DR90WY 	KM-DR90WY100S×100-200	2	¥10,300	48191	94	㎜ 下
	KM-DR90WY100P×100-200	2	¥10,300	48192	95	㎜ 下
	KM-DR90WY100S×100-300	1	¥16,400	43414	106	㎜ 下
	KM-DR90WY100P×100-300	1	¥16,400	43415	107	㎜ 下
	KM-DR90WY125S×100-200	2	¥12,800	48193	122	㎜ 下
	KM-DR90WY150S×100-200	2	¥12,800	41820	142	㎜ 下
	KM-DR90WY150P×100-200	2	¥12,800	41821	144	㎜ 下
	KM-DR90WY150P×100-300	1	¥17,700	43425	107	㎜ 下
KMC-DR90WY (宅内側キャップ付) 	KMC-DR90WY100S×100-200	2	¥11,000	41822	95	㎜ 下
	KMC-DR90WY100P×100-200	2	¥11,000	41823	95	㎜ 下
	KMC-DR90WY100S×100-300	1	¥17,700	43424	106	㎜ 下
	KMC-DR90WY100P×100-300	1	¥17,700	43425	107	㎜ 下
	KMC-DR90WY125S×100-200	2	¥13,600	48194	123	㎜ 下
	KMC-DR90WY150S×100-200	2	¥13,600	41824	144	㎜ 下
	KMC-DR90WY150P×100-200	2	¥13,600	41825	144	㎜ 下
	KMC-DR90WY150P×100-300	1	¥17,700	43425	107	㎜ 下

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
左右合流ドロップ M-DRW 	M-DRW100-150	4	¥ 5,180	40368	64	㎜
	M-DRW100P×100-150	4	¥ 5,180	40369	66	
	M-DRW125-200	2	¥11,500	41475	122	
	M-DRW150-300	1	¥26,600	41883	153	
左右合流ドロップ トラップ付 M-DRW-UT 	M-DRW-UT100×75S-150	2	¥12,200	40370	66	



- 起 点・・・排水管の起点
- 曲 点・・・排水管が屈曲する箇所
- 合流点・・・合流点排水管に屋内からの排水管が会合する箇所
- 落差点・・・排水管の落差が大きくなる箇所
- 中間点・・・排水管の延長が、その管径の120倍を超えない範囲内において、排水管の維持管理上適切な箇所

合流点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
90度合流・ 下流トラップ付 MX-Y-UT 	MX-Y-UT左 _左 右 _右 100×75×75S-150	4	¥ 9,320	左:40659 右:40660	76	lm
90度合流・ 上流トラップ付 MX-UT-Y 	MX-UT-Y左 _左 右 _右 100×75×75-150	4	¥ 9,320	左:40661 右:40662	76	lm
45度合流段差付・ 回転エルボ付 MX-45YS 	MX-45YS左 _左 右 _右 100-150	4	¥ 6,670	左:40610 右:40611	74	
平行合流 MX-H 	MX-H左 _左 右 _右 100×75-150	4	¥ 5,180	左:40614 右:40615	75	lm
	MX-H左 _左 右 _右 100-150	4	¥ 5,180	左:40618 右:40619	75	lm
	MX-H左 _左 右 _右 100-200	4	¥ 7,360	左:49788 右:41104	100	lm
平行合流段差付 MX-HS 	MX-HS左 _左 右 _右 100-150	4	¥ 5,180	左:40625 右:40626	75	lm
	MX-HS左 _左 右 _右 100-200	4	¥ 7,360	左:41106 右:41105	100	lm
平行・90度合流 段差付 MX-H-YS 	MX-H-YS左 _左 右 _右 100-200	2	¥ 7,360	左:41107 右:41108	100	
	MX-H-YS左 _左 右 _右 150×125-200	2	¥ 23,900	左:41796 右:41797	145	


屈曲点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
90度曲り・ 回転エルボ付 MX-90L-Y 	MX-90L-Y左 _左 右 _右 100×75-150	4	¥ 7,940	左:40632 右:40633	74	






起点 (トラップ)

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
起点2本トラップ MX-UTKW 	MX-UTKW100×50S-150	4	¥ 8,740	40549	77	
	MX-UTKW100×50P-150	4	¥ 8,740	40548	78	
	MX-UTKW100×75S-150	4	¥ 8,740	40550	77	
	MX-UTKW100×75P-150	4	¥ 8,740	40642	78	








合流点 (トラップ)

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
2本トラップ MX-UTW 	MX-UTW左 _左 右 _右 兼 _兼 100×50S-150	4	¥ 8,740	左:40643 右:40644 兼:40645	79	
	MX-UTW左 _左 右 _右 兼 _兼 100×50P-150	4	¥ 8,740	左:40553 右:40554 兼:40555	80	
	MX-UTW左 _左 右 _右 兼 _兼 100×75S-150	4	¥ 8,740	左:40649 右:40650 兼:40651	79	
	MX-UTW左 _左 右 _右 兼 _兼 100×75P-150	4	¥ 8,740	左:40646 右:40647 兼:40648	80	

合流点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
90度合流 MA-90Y 	MA-90Y _左 _右 100-150	2	¥ 5,180	左: 40703 右: 40704	83	
ストレート・二段合流 MA-STW 	MA-STW100-150	2	¥ 5,180	40713	82	
平行合流 MA-H 	MA-H _左 _右 100-150	4	¥ 5,180	左: 40709 右: 40710	83	
	MA-H _左 _右 100-200	4	¥ 7,360	左: 41129 右: 41130	101	
平行合流段差付 MA-HS 	MA-HS _左 _右 100-200	4	¥ 7,360	左: 41131 右: 41132	101	
平行・90度合流段差付 MA-H-YS 	MA-H-YS _左 _右 100-150	2	¥ 6,560	左: 40711 右: 40712	83	
	MA-H-YS _左 _右 100-200	2	¥ 7,360	左: 41133 右: 41134	101	
	MA-H-YS _左 _右 125×100-150	2	¥ 11,600	左: 41343 右: 41344	116	
	MA-H-YS _左 _右 125×100-200	2	¥ 16,000	左: 41505 右: 41506	126	
	MA-H-YS _左 _右 150×100-200	2	¥ 19,900	左: 41806 右: 41807	146	
45度合流 MA-45Y 	MA-45Y _左 _右 100-150	4	¥ 5,180	左: 40701 右: 40702	83	
トラップ MA-UT 	MA-UT _左 _右 兼100×75S-150	4	¥ 7,940	左: 40706 右: 40707 兼: 40708	83	
ストレート MA-ST 	MA-ST100-150	4	¥ 3,910	40705	82	

合流点

形 状	品 番	梱包数	設計価格	Mコード	掲載頁	規格
流入可変起点 MM-E90L 	MM-E90L左 _右 100×50-150N	4	¥ 4,720	左:40825 右:40826	84	
	MM-E90L左 _右 100×75-150N	4	¥ 4,720	左:40823 右:40824	84	
	MM-E90L左 _右 100-150N	4	¥ 4,720	左:40821 右:40822	84	
流入可変・90度合流 MM-E90Y 	MM-E90Y左 _右 兼100×50-150	4	¥ 5,980	左:40833 右:40834 兼:40835	84	
	MM-E90Y左 _右 兼100×75-150	4	¥ 5,980	左:40830 右:40831 兼:40832	84	
	MM-E90Y左 _右 兼100-150	4	¥ 5,980	左:40827 右:40828 兼:40829	85	
流入可変・90度合流段差付 MM-E90YS 	MM-E90YS左 _右 100×75-150N	4	¥ 5,980	左:40838 右:40839	85	
	MM-E90YS左 _右 100-150N	4	¥ 5,980	左:40836 右:40837	85	
平行・90度変角合流 MM-MY 	MM-MY左 _右 100×75-150	4	¥ 5,980	左:40759 右:40760	86	㎎
	MM-MY左 _右 100-150	4	¥ 5,980	左:40783 右:40784	86	㎎
	MM-MY左 _右 125×100-200	2	¥ 12,000	左:41507 右:41508	126	
	MM-MY左 _右 150×100-200	2	¥ 16,000	左:41814 右:41815	146	
	MM-MY左 _右 150-200	2	¥ 16,000	左:41816 右:41817	146	
平行・90度変角合流段差付 MM-MYS 	MM-MYS左 _右 100×75-150	4	¥ 5,980	左:40720 右:40719	86	㎎
	MM-MYS左 _右 100-150	4	¥ 5,980	左:40735 右:40736	86	㎎
	MM-MYS左 _右 100-200	2	¥ 8,400	左:41138 右:41139	101	㎎
	MM-MYS左 _右 150×100-200	2	¥ 16,000	左:41810 右:41811	146	
	MM-MYS左 _右 150-200	2	¥ 16,000	左:41812 右:41813	146	
平行・起点トラップ・ 変角合流 MM-UTK-MY 	MM-UTK-MY左 _右 100×100S-150	2	¥ 9,430	左:40807 右:40808	87	
	MM-UTK-MY左 _右 100×100P-150	2	¥ 9,430	左:40665 右:40666	87	
平行・90度変角 合流段差付・トラップ MM-MYS-UT 	MM-MYS-UT左 _右 100×75S-150	2	¥ 9,430	左:40809 右:40810	87	
勾配自在平行合流 MM-MH 	MM-MH左 _右 100×75-150	2	¥ 6,670	左:41148 右:41149	85	
勾配自在平行合流段差付 MM-MHS 	MM-MHS左 _右 100×75-150	2	¥ 6,670	左:41150 右:41151	85	

ビニマスシステム

■ 分離マス

分離マス

BM
ステンレスバスケット付



品番	品目コード	梱包数	設計価格	モ	コード	規格
BM 75V	3258002075	1	¥31,600	49081		
BM 100V	3258002100	1	¥31,600	49083		
BM 75V掃除具付	3258002077	1	¥35,800	49082		
BM 100V掃除具付	3258002103	1	¥35,800	49084		
BM 75-200	3258002076	2	¥27,800	49085		
BM 100-200	3258002101	2	¥27,800	49087		

分離マス

BMA



品番	品目コード	梱包数	設計価格	モ	コード	規格
BMA 75	3258006347	1	¥21,400	49020		
BMA 100	3258006397	1	¥25,300	49027		

分離マス

BMA-F
シーリングパッキン



パイプ付ソケット ボルト、ナット同梱

品番	品目コード	梱包数	設計価格	モ	コード	規格
BMA 75F	3258006350	1	¥21,400	49023		
BMA 100F	3258006400	1	¥25,300	49030		
BMA50×100F	3258006205	1	¥25,300	49077		
BMA75×100F	3258006402	1	¥25,300	49032		

分離マスBM用かさ上げ

BMK



品番	品目コード	梱包数	設計価格	モ	コード	規格
BMK 50	3258001105	1	¥3,920	49038		
BMK 100	3258001110	1	¥4,680	49039		
BMK 200	3258001120	1	¥6,330	49040		

分離マスBMA用かさ上げ

TMA



品番	品目コード	梱包数	設計価格	モ	コード	規格
TMA 300-50	1419212505	5	¥1,340	42652		
TMA 300-100	1419212506	5	¥1,480	42632		
TMA 300-150	1419212507	5	¥1,820	42633		
TMA 300-200	1419212508	5	¥2,450	42634		
TMA 300-300	1419212509	3	¥3,460	42635		

分離マス用掃除具

BM-SL



品番	品目コード	梱包数	設計価格	モ	コード	規格
BM-SL	3258001010	4	¥4,880	49092		

巾狭型分離マス

BM



品番	品目コード	梱包数	設計価格	モ	コード	規格
BM 75L	3258000343	1	¥45,900	49016		
BM 75LP (フタパッキン付)	3258000344	1	¥49,200	49017		

巾狭型分離マス用かさ上げ

BMK



品番	品目コード	梱包数	設計価格	モ	コード	規格
BMK 75L-10	3258001001	1	¥11,100	49037		